



National
Qualifications
2018

2018 Applications of Mathematics

National 5 - Paper 1

Finalised Marking Instructions

© Scottish Qualifications Authority 2018

The information in this publication may be reproduced to support SQA qualifications only on a non-commercial basis. If it is reproduced, SQA should be clearly acknowledged as the source. If it is to be used for any other purpose, written permission must be obtained from permissions@sqa.org.uk.

Where the publication includes materials from sources other than SQA (secondary copyright), this material should only be reproduced for the purposes of examination or assessment. If it needs to be reproduced for any other purpose it is the centre's responsibility to obtain the necessary copyright clearance. SQA's NQ Assessment team may be able to direct you to the secondary sources.

These marking instructions have been prepared by examination teams for use by SQA appointed markers when marking external course assessments. This publication must not be reproduced for commercial or trade purposes.

General marking principles for National Applications of Mathematics

Always apply these general principles. Use them in conjunction with the detailed marking instructions, which identify the key features required in candidates' responses.

For each question, the marking instructions are generally in two sections:

- *generic scheme – this indicates why each mark is awarded*
- *illustrative scheme – this covers methods which are commonly seen throughout the marking*

In general, you should use the illustrative scheme. Only use the generic scheme where a candidate has used a method not covered in the illustrative scheme.

- (a) Always use positive marking. This means candidates accumulate marks for the demonstration of relevant skills, knowledge and understanding; marks are not deducted for errors or omissions.
- (b) If you are uncertain how to assess a specific candidate response because it is not covered by the general marking principles or the detailed marking instructions, you must seek guidance from your team leader.
- (c) One mark is available for each •. There are no half marks.
- (d) If a candidate's response contains an error, all working subsequent to this error must still be marked. Only award marks if the level of difficulty in their working is similar to the level of difficulty in the illustrative scheme.
- (e) Only award full marks where the solution contains appropriate working. A correct answer with no working receives no mark, unless specifically mentioned in the marking instructions.
- (f) Candidates may use any mathematically correct method to answer questions, except in cases where a particular method is specified or excluded.
- (g) If an error is trivial, casual or insignificant, for example $6 \times 6 = 12$, candidates lose the opportunity to gain a mark, except for instances such as the second example in point (h) below.

- (h) If a candidate makes a transcription error (question paper to script or within script), they lose the opportunity to gain the next process mark, for example

This is a transcription error and so the mark is not awarded.	$x^2 + 5x + 7 = 9x + 4$
This is no longer a solution of a quadratic equation, so the mark is not awarded.	$x - 4x + 3 = 0$
	$x = 1$

The following example is an exception to the above

This error is not treated as a transcription error, as the candidate deals with the intended quadratic equation. The candidate has been given the benefit of the doubt and all marks awarded.	$x^2 + 5x + 7 = 9x + 4$
	$x - 4x + 3 = 0$
	$(x - 3)(x - 1) = 0$
	$x = 1 \text{ or } 3$

- (i) **Horizontal/vertical marking**

If a question results in two pairs of solutions, apply the following technique, but only if indicated in the detailed marking instructions for the question.

Example:

	• ⁵	• ⁶
• ⁵	$x = 2$	$x = -4$
• ⁶	$y = 5$	$y = -7$

Horizontal: • ⁵ $x = 2$ and $x = -4$	Vertical: • ⁵ $x = 2$ and $y = 5$
• ⁶ $y = 5$ and $y = -7$	• ⁶ $x = -4$ and $y = -7$

You must choose whichever method benefits the candidate, **not** a combination of both.

- (j) In final answers, candidates should simplify numerical values as far as possible unless specifically mentioned in the detailed marking instruction. For example

$\frac{15}{12}$ must be simplified to $\frac{5}{4}$ or $1\frac{1}{4}$	$\frac{43}{1}$ must be simplified to 43
$\frac{15}{0.3}$ must be simplified to 50	$\frac{4/5}{3}$ must be simplified to $\frac{4}{15}$
$\sqrt{64}$ must be simplified to 8*	

*The square root of perfect squares up to and including 100 must be known.

(k) Commonly Observed Responses (COR) are shown in the marking instructions to help mark common and/or non-routine solutions. CORs may also be used as a guide when marking similar non-routine candidate responses.

(l) Do not penalise candidates for any of the following, unless specifically mentioned in the detailed marking instructions:

- working subsequent to a correct answer
- correct working in the wrong part of a question
- legitimate variations in numerical answers/algebraic expressions, for example angles in degrees rounded to nearest degree
- omission of units
- bad form (bad form only becomes bad form if subsequent working is correct), for example

$(x^3 + 2x^2 + 3x + 2)(2x + 1)$ written as

$(x^3 + 2x^2 + 3x + 2) \times 2x + 1$

$= 2x^4 + 5x^3 + 8x^2 + 7x + 2$

gains full credit

- repeated error within a question, but not between questions or papers

(m) In any ‘Show that...’ question, where candidates have to arrive at a required result, the last mark is not awarded as a follow-through from a previous error, unless specified in the detailed marking instructions.

(n) You must check all working carefully, even where a fundamental misunderstanding is apparent early in a candidate’s response. You may still be able to award marks later in the question so you must refer continually to the marking instructions. The appearance of the correct answer does not necessarily indicate that you can award all the available marks to a candidate.

(o) You should mark legible scored-out working that has not been replaced. However, if the scored-out working has been replaced, you must only mark the replacement working.

(p) If candidates make multiple attempts using the same strategy and do not identify their final answer, mark all attempts and award the lowest mark. If candidates try different valid strategies, apply the above rule to attempts within each strategy and then award the highest mark.

For example:

Strategy 1 attempt 1 is worth 3 marks.	Strategy 2 attempt 1 is worth 1 mark.
Strategy 1 attempt 2 is worth 4 marks.	Strategy 2 attempt 2 is worth 5 marks.
From the attempts using strategy 1, the resultant mark would be 3.	From the attempts using strategy 2, the resultant mark would be 1.

In this case, award 3 marks.

Detailed marking instructions for each question

Question			Generic scheme	Illustrative scheme	Max mark
1.			<ul style="list-style-type: none"> •¹ Process: calculate 3% of 400 •² Process: calculate max and min •³ Process: calculate fraction that will be rejected 	<ul style="list-style-type: none"> •¹ 12 •² 412 and 388 •³ $\frac{4}{13}$ cakes will be rejected 	3
<p>Notes:</p> <ul style="list-style-type: none"> 1. Correct answer with no working award 3/3 2. Incorrect answer with no working award 0/3 3. •¹ can be implied by subsequent working 4. Where answer is incorrect, •³ can be awarded if there is evidence of where the fraction has come from 					
<p>Commonly Observed Responses:</p> <ul style="list-style-type: none"> 1. 403 and 397 leading to an answer of $\frac{11}{13}$ award 2/3 ✗ ✓ ✓ 					
2.			<ul style="list-style-type: none"> •¹ Process: calculate cost of city break •² Strategy/process: know how to find number of weeks •³ Process/communication: find number of weeks 	<ul style="list-style-type: none"> •¹ $270 + 90 \times 4 + 450 + 30 = 1110$ •² Evidence of dividing cost by 50 or other appropriate strategy •³ 23 	3
<p>Notes:</p> <ul style="list-style-type: none"> 1. •² is only available for a relevant calculation involving 50 2. •³ not available for error in calculation eg $1110 \div 50 = 22.1$ leading to 23 					
<p>Commonly Observed Responses:</p> <ul style="list-style-type: none"> 1. $270 + 90 + 450 + 30 = 840 \rightarrow 16.8$ leading to 17 award 2/3 ✗ ✓ ✓ 					

Question		Generic scheme	Illustrative scheme	Max mark																		
3.	(a)	<ul style="list-style-type: none"> •¹ Communication: 4 points correct •² Communication: all 8 points correct 	<ul style="list-style-type: none"> •¹ Evidence •² Evidence 	2																		
Notes: <table border="1" style="margin-left: auto; margin-right: auto;"> <tr> <td>H</td><td>99</td><td>104</td><td>104</td><td>107</td><td>120</td><td>124</td><td>127</td><td>130</td> </tr> <tr> <td>W</td><td>17</td><td>18</td><td>19</td><td>19</td><td>24</td><td>22</td><td>25</td><td>24</td> </tr> </table>					H	99	104	104	107	120	124	127	130	W	17	18	19	19	24	22	25	24
H	99	104	104	107	120	124	127	130														
W	17	18	19	19	24	22	25	24														
Commonly Observed Responses:																						
	(b)	<ul style="list-style-type: none"> •³ Communication: consistent line of best fit 	<ul style="list-style-type: none"> •³ Evidence 	1																		
Notes:																						
Commonly Observed Responses:																						
	(c)	<ul style="list-style-type: none"> •⁴ Communication: answer consistent with line of best fit 	<ul style="list-style-type: none"> •⁴ Evidence 	1																		
Notes:																						
1. When the height falls between 2 whole numbers accept either number or any value in between																						
Commonly Observed Responses:																						
4.		<ul style="list-style-type: none"> •¹ Process: calculate new temperature •² Communication: mark temperature on Celsius scale 	<ul style="list-style-type: none"> •¹ -28 •² Evidence 	2																		
Notes:																						
1. Correct temperature marked with no working award 2/2 2. Where a candidate writes 28 then marks -28 on the gauge award 2/2																						
Commonly Observed Responses:																						
1. 6 °C on correct scale award 1/2 ✗ ✓ 2. 28 °C on correct scale award 1/2 ✗ ✓ 3. 34 °C on correct scale award 0/2 ✗																						

Question		Generic scheme	Illustrative scheme	Max mark
5.		<ul style="list-style-type: none"> •¹ Strategy: know how to add fractions •² Process: add fractions •³ Process: calculate fraction who had vegetarian option 	<ul style="list-style-type: none"> •¹ evidence of attempt to change both fractions to a valid common denominator •² $\frac{3}{7} + \frac{1}{3} = \frac{9}{21} + \frac{7}{21} = \frac{16}{21}$ •³ $\frac{5}{21}$ 	3
		<p>Alternative Strategy</p> <ul style="list-style-type: none"> •¹ Strategy: know how to convert a fraction to a decimal •² Process: add decimals •³ Process: calculate decimal who had vegetarian option 	<ul style="list-style-type: none"> •¹ evidence of numerator divided by denominator •² $0.333... + 0.428... = 0.761...$ •³ 0.239 or 0.238 	3
<p>Notes:</p> <ol style="list-style-type: none"> 1. •² only available for answer of $\frac{16}{21}$, 0.7610... or equivalent 2. The final answer does not need to be in its simplest form 3. Candidates working in decimals must work to at least 3 decimal places for •² to be awarded 4. Candidates working in percentages must work to at least 1 decimal place for •² to be awarded 				
<p>Commonly Observed Responses:</p> <ol style="list-style-type: none"> 1. 23.9% or 23.8% award 3/3 ✓✓✓ 2. $\frac{3}{7} + \frac{1}{3} = \frac{4}{10}$ leading to an answer of $\frac{6}{10}$ award 1/3 ✗✗✓ 				
6.		<ul style="list-style-type: none"> •¹ Strategy: know correct order of operations •² Process/communication: complete calculation and state conclusion 	<ul style="list-style-type: none"> •¹ evidence •² 18.1 and consistent conclusion 	2
<p>Notes:</p>				
<p>Commonly Observed Responses:</p> <ol style="list-style-type: none"> 1. $(27.2 - 4.6) \times 3 + 4.7 = 72.5$ no he is incorrect award 1/2 ✗✓ 2. $27.2 - (4.6 \times 3 + 4.7) = 8.7$ yes he is correct award 1/2 ✗✓ 3. $(27.2 - 4.6 + 4.7) \times 3 = 81.9$ no he is incorrect award 1/2 ✗✓ 4. $(27.2 - 4.6) \times (3 + 4.7) = 174.02$ no he is incorrect award 1/2 ✗✓ 				

Question		Generic scheme	Illustrative scheme	Max mark
7.	(a)	<ul style="list-style-type: none"> •¹ Process: calculate amount of Bolivian boliviano 	<ul style="list-style-type: none"> •¹ $750 \times 9 = 6750$ 	1
Notes: 1. Accept £6750				
Commonly Observed Responses:				
	(b)	<ul style="list-style-type: none"> •² Strategy/process: calculate amount of Bolivian boliviano left and convert back to pounds •³ Process: calculate Argentine peso 	<ul style="list-style-type: none"> •² $(6750 - 2700) \div 9 = 450$ •³ $450 \times 20 = 9000$ 	2
Notes: 1. When the answer to • ² is not a whole number of pounds, it must be rounded or truncated to at least 2 decimal places 2. For • ³ accept any correct rounding or truncation to an accuracy of at least the nearest 10 peso				
Commonly Observed Responses:				
8.		<ul style="list-style-type: none"> •¹ Strategy: know to calculate the sale price in two stages •² Process: calculate 75% of the price •³ Process: calculate final price 	<ul style="list-style-type: none"> •¹ evidence •² 525 •³ 498.75 	3
Notes:				
Commonly Observed Responses:				
1. $70\% \text{ of } 700 = 490$ <div style="float: right;">award 1/3 x x ✓</div>				

Question			Generic scheme	Illustrative scheme	Max mark
9.			<ul style="list-style-type: none"> •¹ Strategy/process: know how to deal with flight time •² Strategy: know how to deal with time difference •³ Process: calculate stop time 	<ul style="list-style-type: none"> •¹ 11:10pm or equivalent •² eg $11:10 + 8 = 7:10\text{am}$ or $8:50 - 8 = 00:50\text{am}$ or equivalent •³ 1 hour 40 minutes 	3
Notes:					
1. Correct answer with no working			award 3/3		
Commonly Observed Responses:					
1. 17 hours and 40 minutes with relevant working			award 2/3 ✓ x ✓		
2. 9 hours and 40 minutes with relevant working			award 2/3 ✓ x ✓		
10.	(a)		• ¹ Process: find 80% of 35	• ¹ 28	1
Notes:					
Commonly Observed Responses:					
	(b)		• ² Strategy/process: calculate overall percentage	• ² 67	1
Notes:					
Commonly Observed Responses:					

Question		Generic scheme	Illustrative scheme	Max mark												
11.		<ul style="list-style-type: none"> •¹ Strategy: know how to find perimeter •² Process: calculate semi circles •³ Strategy/process: calculate total length of ribbon needed 	<ul style="list-style-type: none"> •¹ evidence of $3 \cdot 14 \times 20 + 34 + 34$ •² $3 \cdot 14 \times 20 = 62 \cdot 8$ •³ $62 \cdot 8 + 34 + 34 + 2 \cdot 8 = 133 \cdot 6$ 	3												
<p>Notes:</p> <ol style="list-style-type: none"> 1. •² is only available for a calculation involving $3 \cdot 14$ 2. •³ is only available for adding $2 \cdot 8$ to a previously calculated perimeter 3. Where a candidate considers area of part of the shape instead of perimeter, only •² is available 																
<p>Commonly Observed Responses:</p> <table style="width: 100%; border-collapse: collapse;"> <tbody> <tr> <td style="width: 70%;">1. For $3 \cdot 14 \times 10 + 34 + 34 + 2 \cdot 8$ leading to a final answer of $102 \cdot 2$</td> <td style="width: 30%;">award 2/3 ✗ ✓ ✓</td> </tr> <tr> <td>2. For $3 \cdot 14 \times 40 + 34 + 34 + 2 \cdot 8$ leading to a final answer of $196 \cdot 4$</td> <td>award 2/3 ✗ ✓ ✓</td> </tr> <tr> <td>3. For $3 \cdot 14 \times 20 + 34 + 34$ leading to a final answer of $130 \cdot 8$</td> <td>award 2/3 ✓ ✓ ✗</td> </tr> <tr> <td>4. For $3 \cdot 14 \times 10^2 + 34 + 34 + 2 \cdot 8$ leading to a final answer of $384 \cdot 8$</td> <td>award 1/3 ✗ ✓ ✗</td> </tr> <tr> <td>5. For $3 \cdot 14 \times 10^2 + 20 \times 27 \cdot 5 + 2 \cdot 8$ leading to a final answer of $866 \cdot 8$</td> <td>award 1/3 ✗ ✓ ✗</td> </tr> <tr> <td>6. For $3 \cdot 14 \times 10^2 + 20 \times 27 \cdot 5$ leading to a final answer of 864</td> <td>award 1/3 ✗ ✓ ✗</td> </tr> </tbody> </table>					1. For $3 \cdot 14 \times 10 + 34 + 34 + 2 \cdot 8$ leading to a final answer of $102 \cdot 2$	award 2/3 ✗ ✓ ✓	2. For $3 \cdot 14 \times 40 + 34 + 34 + 2 \cdot 8$ leading to a final answer of $196 \cdot 4$	award 2/3 ✗ ✓ ✓	3. For $3 \cdot 14 \times 20 + 34 + 34$ leading to a final answer of $130 \cdot 8$	award 2/3 ✓ ✓ ✗	4. For $3 \cdot 14 \times 10^2 + 34 + 34 + 2 \cdot 8$ leading to a final answer of $384 \cdot 8$	award 1/3 ✗ ✓ ✗	5. For $3 \cdot 14 \times 10^2 + 20 \times 27 \cdot 5 + 2 \cdot 8$ leading to a final answer of $866 \cdot 8$	award 1/3 ✗ ✓ ✗	6. For $3 \cdot 14 \times 10^2 + 20 \times 27 \cdot 5$ leading to a final answer of 864	award 1/3 ✗ ✓ ✗
1. For $3 \cdot 14 \times 10 + 34 + 34 + 2 \cdot 8$ leading to a final answer of $102 \cdot 2$	award 2/3 ✗ ✓ ✓															
2. For $3 \cdot 14 \times 40 + 34 + 34 + 2 \cdot 8$ leading to a final answer of $196 \cdot 4$	award 2/3 ✗ ✓ ✓															
3. For $3 \cdot 14 \times 20 + 34 + 34$ leading to a final answer of $130 \cdot 8$	award 2/3 ✓ ✓ ✗															
4. For $3 \cdot 14 \times 10^2 + 34 + 34 + 2 \cdot 8$ leading to a final answer of $384 \cdot 8$	award 1/3 ✗ ✓ ✗															
5. For $3 \cdot 14 \times 10^2 + 20 \times 27 \cdot 5 + 2 \cdot 8$ leading to a final answer of $866 \cdot 8$	award 1/3 ✗ ✓ ✗															
6. For $3 \cdot 14 \times 10^2 + 20 \times 27 \cdot 5$ leading to a final answer of 864	award 1/3 ✗ ✓ ✗															

Question		Generic scheme	Illustrative scheme	Max mark
12.	(a)	<ul style="list-style-type: none"> •¹ Process: calculate scale distances •² Process/communication: correct bearing measured and correct length drawn •³ Process/communication: correct bearing measured and correct length drawn 	<ul style="list-style-type: none"> •¹ $82 \div 10$ rep by 8.2 cm $46 \div 10$ rep by 4.6 cm •² Bearing of $042^\circ (\pm 1^\circ)$ measured correctly and 8.2 cm (± 0.1 cm) correctly drawn •³ Bearing of $194^\circ (\pm 1^\circ)$ measured correctly and 4.6 cm (± 0.1 cm) correctly drawn 	3
Notes: <ol style="list-style-type: none"> 1. •² alternatively available for 2 correct lengths drawn 2. •³ alternatively available for 2 correct angles measured 3. •¹ can be implied by drawing 2 lines of the correct length 				
Commonly Observed Responses:				
	(b)	<ul style="list-style-type: none"> •⁴ Process: bearing consistent with diagram •⁵ Process: distance consistent with diagram 	<ul style="list-style-type: none"> •⁴ evidence •⁵ evidence 	2
Notes: <ol style="list-style-type: none"> 1. The third leg of the journey need not actually be drawn 				
Commonly Observed Responses:				
13.		<ul style="list-style-type: none"> •¹ Strategy: substitute correctly into Pythagoras' Theorem •² Process: calculate height •³ Process: calculate area 	<ul style="list-style-type: none"> •¹ $h^2 = 10^2 - 6^2$ •² 8 •³ $8 \times 12 \div 2 = 48$ 	3

Notes:

1. Correct answer with no working
2. 8 with no working ●¹ and ●² can be awarded
3. ●³ is only available for using a height

award 3/3

Commonly Observed Responses:

1. $\frac{1}{2} \times 12 \times 10$ leading to an answer of 60

award 0/3 * * *

Question	Generic scheme	Illustrative scheme	Max mark
14.	<ul style="list-style-type: none"> ●¹ Strategy/process: know to find total number of combinations ●² Process: find the number of combinations less than 5 ●³ Communication: state probability 	<ul style="list-style-type: none"> ●¹ evidence of the 35 combinations ●² 13 ●³ $\frac{13}{35}$ 	3

Notes:

1. Correct answer with no working
2. The combinations need not be listed for award of ●¹ and ●²
3. Where answer is incorrect, ●³ can only be awarded if numerator and denominator are consistent with working
4. The final answer does not need to be in its simplest form
5. Do not award ●³ for an answer written as a ratio

award 3/3

Commonly Observed Responses:

1. 13 : 35
2. $\frac{35}{13}$

award 2/3 ✓ ✓ *

award 2/3 ✓ ✓ *

15.	<ul style="list-style-type: none"> ●¹ Process: consistent units between two values ●² Communication: state gradient ●³ Process/communication: calculate equivalent fraction(s) and state conclusion 	<ul style="list-style-type: none"> ●¹ 25 cm = 0.25 m or 4 m = 400 cm ●² $\frac{25}{400}$ ●³ Simplify $\frac{25}{400}$ to $\frac{1}{16}$ Yes, $\frac{1}{16} < \frac{1}{14}$ 	3
-----	---	---	---

Notes:

1. Award ●³ for $\frac{14}{224} < \frac{16}{224}$ or equivalent with correct conclusion

Commonly Observed Responses:

1. $\frac{25}{4}$ (with or without a conclusion)

award 1/3 ✗ ✓ ✗

[END OF MARKING INSTRUCTIONS]



National
Qualifications
2018

2018 Applications of Mathematics

National 5 - Paper 2

Finalised Marking Instructions

© Scottish Qualifications Authority 2018

The information in this publication may be reproduced to support SQA qualifications only on a non-commercial basis. If it is reproduced, SQA should be clearly acknowledged as the source. If it is to be used for any other purpose, written permission must be obtained from permissions@sqa.org.uk.

Where the publication includes materials from sources other than SQA (secondary copyright), this material should only be reproduced for the purposes of examination or assessment. If it needs to be reproduced for any other purpose it is the centre's responsibility to obtain the necessary copyright clearance. SQA's NQ Assessment team may be able to direct you to the secondary sources.

These marking instructions have been prepared by examination teams for use by SQA appointed markers when marking external course assessments. This publication must not be reproduced for commercial or trade purposes.

General marking principles for National 5 Applications of Mathematics

Always apply these general principles. Use them in conjunction with the detailed marking instructions, which identify the key features required in candidates' responses.

For each question, the marking instructions are generally in two sections:

- *generic scheme – this indicates why each mark is awarded*
- *illustrative scheme – this covers methods which are commonly seen throughout the marking*

In general, you should use the illustrative scheme. Only use the generic scheme where a candidate has used a method not covered in the illustrative scheme.

- (a) Always use positive marking. This means candidates accumulate marks for the demonstration of relevant skills, knowledge and understanding; marks are not deducted for errors or omissions.
- (b) If you are uncertain how to assess a specific candidate response because it is not covered by the general marking principles or the detailed marking instructions, you must seek guidance from your team leader.
- (c) One mark is available for each •. There are no half marks.
- (d) If a candidate's response contains an error, all working subsequent to this error must still be marked. Only award marks if the level of difficulty in their working is similar to the level of difficulty in the illustrative scheme.
- (e) Only award full marks where the solution contains appropriate working. A correct answer with no working receives no mark, unless specifically mentioned in the marking instructions.
- (f) Candidates may use any mathematically correct method to answer questions, except in cases where a particular method is specified or excluded.
- (g) If an error is trivial, casual or insignificant, for example $6 \times 6 = 12$, candidates lose the opportunity to gain a mark, except for instances such as the second example in point (h) below.

- (h) If a candidate makes a transcription error (question paper to script or within script), they lose the opportunity to gain the next process mark, for example

This is a transcription error and so the mark is not awarded.	$x^2 + 5x + 7 = 9x + 4$
This is no longer a solution of a quadratic equation, so the mark is not awarded.	$x - 4x + 3 = 0$
	$x = 1$

The following example is an exception to the above

This error is not treated as a transcription error, as the candidate deals with the intended quadratic equation. The candidate has been given the benefit of the doubt and all marks awarded.	$x^2 + 5x + 7 = 9x + 4$
	$x - 4x + 3 = 0$
	$(x - 3)(x - 1) = 0$
	$x = 1 \text{ or } 3$

(i) **Horizontal/vertical marking**

If a question results in two pairs of solutions, apply the following technique, but only if indicated in the detailed marking instructions for the question.

Example:

	• ⁵	• ⁶	
• ⁵	$x = 2$	$x = -4$	
• ⁶	$y = 5$	$y = -7$	

Horizontal: • ⁵ $x = 2$ and $x = -4$	Vertical: • ⁵ $x = 2$ and $y = 5$
• ⁶ $y = 5$ and $y = -7$	• ⁶ $x = -4$ and $y = -7$

You must choose whichever method benefits the candidate, **not** a combination of both.

- (j) In final answers, candidates should simplify numerical values as far as possible unless specifically mentioned in the detailed marking instruction. For example

$\frac{15}{12}$ must be simplified to $\frac{5}{4}$ or $1\frac{1}{4}$	$\frac{43}{1}$ must be simplified to 43
$\frac{15}{0.3}$ must be simplified to 50	$\frac{4/5}{3}$ must be simplified to $\frac{4}{15}$
$\sqrt{64}$ must be simplified to 8*	

*The square root of perfect squares up to and including 100 must be known.

(k) Commonly Observed Responses (COR) are shown in the marking instructions to help mark common and/or non-routine solutions. CORs may also be used as a guide when marking similar non-routine candidate responses.

(l) Do not penalise candidates for any of the following, unless specifically mentioned in the detailed marking instructions:

- working subsequent to a correct answer
- correct working in the wrong part of a question
- legitimate variations in numerical answers/algebraic expressions, for example angles in degrees rounded to nearest degree
- omission of units
- bad form (bad form only becomes bad form if subsequent working is correct), for example

$(x^3 + 2x^2 + 3x + 2)(2x + 1)$ written as

$(x^3 + 2x^2 + 3x + 2) \times 2x + 1$

$= 2x^4 + 5x^3 + 8x^2 + 7x + 2$

gains full credit

- repeated error within a question, but not between questions or papers

(m) In any ‘Show that...’ question, where candidates have to arrive at a required result, the last mark is not awarded as a follow-through from a previous error, unless specified in the detailed marking instructions.

(n) You must check all working carefully, even where a fundamental misunderstanding is apparent early in a candidate’s response. You may still be able to award marks later in the question so you must refer continually to the marking instructions. The appearance of the correct answer does not necessarily indicate that you can award all the available marks to a candidate.

(o) You should mark legible scored-out working that has not been replaced. However, if the scored-out working has been replaced, you must only mark the replacement working.

(p) If candidates make multiple attempts using the same strategy and do not identify their final answer, mark all attempts and award the lowest mark. If candidates try different valid strategies, apply the above rule to attempts within each strategy and then award the highest mark.

For example:

Strategy 1 attempt 1 is worth 3 marks.	Strategy 2 attempt 1 is worth 1 mark.
Strategy 1 attempt 2 is worth 4 marks.	Strategy 2 attempt 2 is worth 5 marks.
From the attempts using strategy 1, the resultant mark would be 3.	From the attempts using strategy 2, the resultant mark would be 1.

In this case, award 3 marks.

Detailed marking instructions for each question

Question		Generic scheme	Illustrative scheme	Max mark												
1.	(a)	<ul style="list-style-type: none"> •¹ Strategy: identify multiplier •² Strategy: identify power •³ Process: calculate value •⁴ Communication: round to 2 significant figures 	<ul style="list-style-type: none"> •¹ 0.87 •² ...³ •³ 921.90(42) •⁴ 920 	4												
<p>Notes:</p> <ol style="list-style-type: none"> 1. Correct answer with no working award 4/4 2. Candidates using repeated subtraction must work to a minimum of 3 significant figures, rounded or truncated to gain •³ 3. •³ is available for calculations of depreciation if at least 2 years have been considered 																
<p>Commonly Observed Responses:</p> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 70%;">1. $1400 - (1400 \times 0.87^3) = 478.0958$ leading to an answer of 480</td> <td style="width: 30%;">award 3/4 ✓✓ × ✓</td> </tr> <tr> <td>2. $1400 \times 1.13^3 = 2020.06$ leading to an answer of 2000</td> <td>award 3/4 × ✓ ✓ ✓</td> </tr> <tr> <td>3. $1400 \div 1.13^3 = 970.27$ leading to an answer of 970</td> <td>award 2/4 × ✓ × ✓</td> </tr> <tr> <td>4. $1400 - (182 \times 3) = 854$ leading to an answer of 850</td> <td>award 2/4 × × ✓ ✓</td> </tr> <tr> <td>5. $1400 \times 0.87 \times 3 = 3654$ leading to an answer of 3700</td> <td>award 2/4 ✓ × × ✓</td> </tr> <tr> <td>6. $1400 \times 0.87 = 1218$ leading to an answer of 1200</td> <td>award 2/4 ✓ × × ✓</td> </tr> </table>					1. $1400 - (1400 \times 0.87^3) = 478.0958$ leading to an answer of 480	award 3/4 ✓✓ × ✓	2. $1400 \times 1.13^3 = 2020.06$ leading to an answer of 2000	award 3/4 × ✓ ✓ ✓	3. $1400 \div 1.13^3 = 970.27$ leading to an answer of 970	award 2/4 × ✓ × ✓	4. $1400 - (182 \times 3) = 854$ leading to an answer of 850	award 2/4 × × ✓ ✓	5. $1400 \times 0.87 \times 3 = 3654$ leading to an answer of 3700	award 2/4 ✓ × × ✓	6. $1400 \times 0.87 = 1218$ leading to an answer of 1200	award 2/4 ✓ × × ✓
1. $1400 - (1400 \times 0.87^3) = 478.0958$ leading to an answer of 480	award 3/4 ✓✓ × ✓															
2. $1400 \times 1.13^3 = 2020.06$ leading to an answer of 2000	award 3/4 × ✓ ✓ ✓															
3. $1400 \div 1.13^3 = 970.27$ leading to an answer of 970	award 2/4 × ✓ × ✓															
4. $1400 - (182 \times 3) = 854$ leading to an answer of 850	award 2/4 × × ✓ ✓															
5. $1400 \times 0.87 \times 3 = 3654$ leading to an answer of 3700	award 2/4 ✓ × × ✓															
6. $1400 \times 0.87 = 1218$ leading to an answer of 1200	award 2/4 ✓ × × ✓															
	(b)	<ul style="list-style-type: none"> •⁵ Strategy: know how to calculate percentage loss •⁶ Process: calculate percentage 	<ul style="list-style-type: none"> •⁵ $\frac{450}{1400} \times 100$ •⁶ 32(.1...) 	2												
		<p>Alternative Strategy</p> <ul style="list-style-type: none"> •⁵ Strategy: know to use trial and improvement •⁶ Process: calculate percentage 	<ul style="list-style-type: none"> •⁵ evidence •⁶ 32 	2												
<p>Notes:</p> <ol style="list-style-type: none"> 1. Correct answer with no working award 1/2 2. For $1400 - 950 = 450 = 450$ followed by 32% with no additional working award 1/2 3. Where •⁵ is not awarded •⁶ can be awarded for a calculation of the form $\frac{a}{b} \times c$ where a, b and c are a calculated loss, 1400, 950 or 100 4. For the alternative strategy, •⁶ can only be awarded for showing that the percentage is closer to 32 than 33 																
<p>Commonly Observed Responses:</p> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 70%;">1. $\frac{950}{1400} \times 100 = 67.857$</td> <td style="width: 30%;">award 1/2 × ✓</td> </tr> <tr> <td>2. $\frac{450}{950} \times 100 = 47.368$</td> <td>award 1/2 × ✓</td> </tr> </table>					1. $\frac{950}{1400} \times 100 = 67.857$	award 1/2 × ✓	2. $\frac{450}{950} \times 100 = 47.368$	award 1/2 × ✓								
1. $\frac{950}{1400} \times 100 = 67.857$	award 1/2 × ✓															
2. $\frac{450}{950} \times 100 = 47.368$	award 1/2 × ✓															

Question		Generic scheme	Illustrative scheme	Max mark
2.	(a)	<ul style="list-style-type: none"> •¹ Communication: state median •² Communication: state upper and lower quartiles 	<ul style="list-style-type: none"> •¹ $Q_2 = 19$ •² $Q_1 = 11$ and $Q_3 = 24$ 	2
Notes: <ol style="list-style-type: none"> 1. If the numbers are unordered •² is still available 2. If one number is missed from an ordered list •² is still available 3. If the answers for part (a) appear in part (b) •¹ and •² can be awarded 				
Commonly Observed Responses:				
	(b)	<ul style="list-style-type: none"> •³ Communication: correct end points •⁴ Communication: correct box 	<ul style="list-style-type: none"> •³ end points at 5 and 34 •⁴ box showing Q_1, Q_2, Q_3 	2
Notes: <ol style="list-style-type: none"> 1. If the answers for part (a) appear in part (b) •¹ and •² can be awarded 				
Commonly Observed Responses:				
3.		<ul style="list-style-type: none"> •¹ Strategy: select correct two packages •² Process: calculate total cost of one package •³ Process/communication: calculate total cost of remaining package(s) and state cheapest package 	<ul style="list-style-type: none"> •¹ select only B and D •² eg package B $(8.95 + 20.99) \times 12 + 59.99 = 419.27$ •³ eg package D $(7.99 + 18.99) \times 12 + 109.99 = 433.75$ and package B 	3
Notes: <ol style="list-style-type: none"> 1. For candidates who do not add the initial fee leading to costs of Package B-359.28 and Package D-323.76 and conclusion Package D is cheaper award 3/3 2. Where candidates consider more than 2 packages •³ is only available where the costs of all considered packages are calculated 3. Where •² is lost for an incorrect process, •³ can be awarded for repeated incorrect process 				
Commonly Observed Responses:				

Question		Generic scheme	Illustrative scheme	Max mark
4.	(a)	<ul style="list-style-type: none"> •¹ Strategy: know how to calculate time •² Process: calculate time in minutes 	<ul style="list-style-type: none"> •¹ $\frac{144}{360} \times 105$ •² 42 	2
		Alternative Strategy <ul style="list-style-type: none"> •¹ Strategy: know how to calculate time •² Process: calculate time in minutes 	<ul style="list-style-type: none"> •¹ $105 \div (360 \div 144)$ •² 42 	2
Notes: <ol style="list-style-type: none"> 1. In the original strategy, where •¹ is not awarded, •² can be awarded for any calculation of the form $\frac{a}{b} \times c$ where a, b and c are an angle from the pie chart, 360 and either 105 or 60 2. Rounding or truncation within working must be to at least 3 significant figures 				
Commonly Observed Responses: <ol style="list-style-type: none"> 1. $\frac{105}{360} = 0.291 \rightarrow 0.291 \times 144 = 41.904$ award 2/2 ✓ ✓ 2. $\frac{105}{360} = 0.29 \rightarrow 0.29 \times 144 = 41.76$ award 1/2 ✓ ✗ 				
	(b)	<ul style="list-style-type: none"> •³ Process: convert time from minutes to hours •⁴ Process: calculate distance 	<ul style="list-style-type: none"> •³ $\frac{21}{60} (= 0.35)$ •⁴ $6.6 \times 0.35 = 2.31$ 	2
Notes:				
Commonly Observed Responses: <ol style="list-style-type: none"> 1. $21 \times 6.6 = 138.6$ award 1/2 ✗ ✓ 2. $21 \times 60 \times 6.6 = 8316$ award 1/2 ✗ ✓ 				

Question		Generic scheme	Illustrative scheme	Max mark
5.	(a)	<ul style="list-style-type: none"> •¹ Strategy: know to use inverse proportion •² Process: calculate feed for one sheep •³ Strategy/process: calculate the number of days 	<ul style="list-style-type: none"> •¹ Evidence •² $350 \times 18 = 6300$ •³ $6300 \div 450 = 14$ 	3
Notes: <ul style="list-style-type: none"> 1. Correct answer with no working award 3/3 2. For an answer of eg “the food lasts 4 days less” award •³ 3. If the candidate subtracts 18 to find the number of days, •³ is not available 				
Commonly Observed Responses: <ul style="list-style-type: none"> 1. $350 \times 18 \div 100 = 63$ award 2/3 ✓ ✓ ✗ 2. $18 \div 350 \times 450 = 23 \cdot 14 \dots$ award 2/3 ✗ ✓ ✓ 3. $450 \div (350 \div 18) = 23 \cdot 14 \dots$ award 2/3 ✗ ✓ ✓ 4. $18 \div 350 \times 100 = 5 \cdot 14 \dots$ award 1/3 ✗ ✓ ✗ 5. $350 \div 18 \times 450 = 8750$ award 1/3 ✗ ✗ ✓ 6. $350 \div 18 \times 100 = 1944 \cdot 44 \dots$ award 0/3 ✗ ✗ ✗ 				
	(b)	<ul style="list-style-type: none"> •⁴ Strategy/process: substitute into the cylinder formula •⁵ Process: calculate volume 	<ul style="list-style-type: none"> •⁴ $V = \pi \times 1 \cdot 9^2 \times 9 \cdot 7$ •⁵ $110 \cdot 009 \dots \text{m}^3$ 	2
Notes: <ul style="list-style-type: none"> 1. Correct units must be stated for •⁵ to be awarded 2. Accept legitimate variations of π 3. For the final answer accept any legitimate rounding or truncation to at least 2 significant figures 4. •⁵ is only available for a calculation involving π, a power and at least one other number 5. If candidate uses $V = \frac{1}{3} \pi r^2 h$ or $V = \frac{4}{3} \pi r^3$ approximations for the fractions must be given to at least 3 decimal places for •⁵ to be available 				
Commonly Observed Responses: <ul style="list-style-type: none"> 1. $\pi \times 3 \cdot 8^2 \times 9 \cdot 7 = 440 \cdot 03 \dots \text{m}^3$ award 1/2 ✗ ✓ 2. $\pi \times 3 \cdot 8 \times 9 \cdot 7 = 115 \cdot 79 \dots \text{m}^3$ award 0/2 ✗ ✗ 3. $\pi \times 1 \cdot 9 \times 9 \cdot 7 = 57 \cdot 89 \dots \text{m}^3$ award 0/2 ✗ ✗ 				

Question		Generic scheme	Illustrative scheme	Max mark						
6.		<ul style="list-style-type: none"> •¹ Strategy/process: calculate the value of one share •² Strategy/process: calculate total amount paid 	<ul style="list-style-type: none"> •¹ $154 \div 7 = 22$ •² 330 	2						
<p>Notes:</p> <ol style="list-style-type: none"> 1. For commonly observed responses illustrated below, 10·26 or 10·27 multiplied by 7,3 or 5 can be awarded •² 2. •¹ cannot be awarded if the candidate has also calculated $154 \div 5$ and/or $154 \div 3$ and/or $154 \div 15$ 										
<p>Commonly Observed Responses:</p> <table style="width: 100%; border: none;"> <tr> <td style="width: 70%;">1. $154 \div 15 \times 7 = 71.866\dots$</td> <td style="text-align: right;">award 1/2 ✗ ✓</td> </tr> <tr> <td>2. $154 \div 15 \times 3 = 30.80$</td> <td style="text-align: right;">award 1/2 ✗ ✓</td> </tr> <tr> <td>3. $154 \div 15 \times 5 = 51.333\dots$</td> <td style="text-align: right;">award 1/2 ✗ ✓</td> </tr> </table>					1. $154 \div 15 \times 7 = 71.866\dots$	award 1/2 ✗ ✓	2. $154 \div 15 \times 3 = 30.80$	award 1/2 ✗ ✓	3. $154 \div 15 \times 5 = 51.333\dots$	award 1/2 ✗ ✓
1. $154 \div 15 \times 7 = 71.866\dots$	award 1/2 ✗ ✓									
2. $154 \div 15 \times 3 = 30.80$	award 1/2 ✗ ✓									
3. $154 \div 15 \times 5 = 51.333\dots$	award 1/2 ✗ ✓									

Question		Generic scheme	Illustrative scheme	Max mark
7.		<ul style="list-style-type: none"> •¹ Strategy/process: convert km to miles •² Strategy/process: convert litres to gallons •³ Strategy/process: calculate total distance possible on a full tank in miles •⁴ Communication: conclusion based on working 	<ul style="list-style-type: none"> •¹ $650 \div 1.609 = 403.977\dots$ •² $50 \div 4.545 = 11$ •³ $47 \times 11 = 517$ •⁴ Yes (since $404 < 517$) 	4
		<p>Alternative strategy 1</p> <ul style="list-style-type: none"> •¹ Strategy/process: convert litres to gallons •² Strategy/process: calculate total distance possible on a full tank in miles •³ Strategy/process: convert miles to km •⁴ Communication: conclusion based on working 	<ul style="list-style-type: none"> •¹ $50 \div 4.545 = 11$ •² $47 \times 11 = 517$ •³ $517 \times 1.609 = 831.853$ •⁴ Yes (since $650 < 832$) 	4
		<p>Alternative Strategy 2</p> <ul style="list-style-type: none"> •¹ Strategy/process: convert km to miles •² Strategy/process: calculate number of gallons required •³ Strategy/process: convert gallons to litres •⁴ Communication: conclusion based on working 	<ul style="list-style-type: none"> •¹ $650 \div 1.609 = 403.977\dots$ •² $403.977\dots \div 47 = 8.595\dots$ •³ $8.595\dots \times 4.545 = 39.065\dots$ •⁴ Yes (since $39 < 50$) 	4
		<p>Alternative Strategy 3</p> <ul style="list-style-type: none"> •¹ Strategy/process: convert km to miles •² Strategy/process: calculate number of gallons required •³ Strategy/process: convert litres to gallons •⁴ Communication: conclusion based on working 	<ul style="list-style-type: none"> •¹ $650 \div 1.609 = 403.977\dots$ •² $403.977\dots \div 47 = 8.595\dots$ •³ $50 \div 4.545 = 11$ •⁴ Yes (since $8.595 < 11$) 	4

Question		Generic scheme	Illustrative scheme	Max mark
7.		Alternative Strategy 4 • ¹ Strategy/process: convert miles per gallon to km per gallon • ² Strategy/process: convert litres to gallons • ³ Strategy/process: calculate total distance possible on a full tank in km • ⁴ Communication: conclusion based on working	• ¹ $47 \times 1.609 = 75.623\dots$ • ² $50 \div 4.545 = 11$ • ³ $11 \times 75.623 = 831.853$ • ⁴ Yes (since $650 < 831.853$)	4
Notes:				
Commonly Observed Responses:				


Question		Generic scheme	Illustrative scheme	Max mark
8.	(a)	<ul style="list-style-type: none"> •¹ Strategy: know to pick cheapest prices and add cost of frame •² Process: find total cost 	<ul style="list-style-type: none"> •¹ evidence •² 2960·39 	2
Notes: 1. Where candidate calculates the price for buying all the parts from the same shop, all 5 shops must be calculated correctly and the cost of the frame added to the cheapest (Bikes to Go -350·78, Bikevelo -370·34, Velo cycles -405·20, Cycle trax - 410·64 EP - 350·05 leading to 2991·00) award 1/2				
Commonly Observed Responses: 1. 319·44 (no frame) award 1/2 × ✓ 2. 2865·91 (1 wheel and 1 tyre) award 1/2 ✓ ×				
	(b)	<ul style="list-style-type: none"> •³ Strategy: know how to calculate finance package •⁴ Process: calculate deposit •⁵ Process: find total finance package •⁶ Communication: state extra cost 	<ul style="list-style-type: none"> •³ Evidence of attempt to find deposit and attempt to find total finance package •⁴ 15% of 2991 = 448·65 •⁵ $448·65 + 36 \times 76·50 = 3202·65$ •⁶ $3202·65 - 2960·39 = 242·26$ 	4
Notes: 1. If candidate finds 15% of answer to (a), instead of 15% of £2991 then a maximum of 3/4 is available eg $36 \times 76·50 + 15\% \text{ of } 2960·39 = 3198·06$ $3198·06 - 2991 = 207·06$				
Commonly Observed Responses:				

Question			Generic scheme	Illustrative scheme	Max mark
8.	(c)	(i)	<ul style="list-style-type: none"> •⁷ Process: calculate mean 	<ul style="list-style-type: none"> •⁷ $(61.2 + 58.3 + 59.1 + 58.8 + 60.4 + 59.8) \div 6 = 59.6$ 	1
Notes:					
Commonly Observed Responses:					
		(ii)	<ul style="list-style-type: none"> •⁸ Process: calculate $(x - \bar{x})^2$ •⁹ Strategy/process: substitute into formula •¹⁰ Process: calculate standard deviation 	<ul style="list-style-type: none"> •⁸ 2.56, 1.69, 0.25, 0.64, 0.64, 0.04 •⁹ $\sqrt{(5 \cdot 82 \div 5)}$ •¹⁰ 1.078... 	3
			<p>Alternative strategy</p> <ul style="list-style-type: none"> •⁸ Process: calculate $\sum x$ and $\sum x^2$ •⁹ Strategy/process: substitute into formula •¹⁰ Process: calculate standard deviation 	<ul style="list-style-type: none"> •⁸ 357.6 and 21318.78 •⁹ $\sqrt{\frac{21318.78 - \frac{357.6^2}{6}}{5}}$ •¹⁰ 1.078... 	3
Notes:					
<ol style="list-style-type: none"> 1. Accept rounding or truncation to at least one decimal place for final answer 2. •¹⁰ can only be awarded when a two-step calculation has taken place 					
Commonly Observed Responses:					
	(d)		<ul style="list-style-type: none"> •¹¹ Communication: comment regarding mean •¹² Communication: comment regarding standard deviation 	<ul style="list-style-type: none"> •¹¹ eg on average, Scott's top speed is higher on his new bike •¹² eg top speed is more consistent with new bike 	2
Notes:					
Commonly Observed Responses:					

Question		Generic scheme	Illustrative scheme	Max mark
9.	(a)	• ¹ Strategy: allocate tasks	• ¹ all boxes correct	1

Notes:

1. If candidate puts only correct letter and no number in boxes award 0/1



Commonly Observed Responses:

(b)	<ul style="list-style-type: none"> •² Strategy: select critical path •³ Process/communication: state conclusion and time consistent with path chosen 	<ul style="list-style-type: none"> •² $900 + 2 + 3 + 300 + 5 + 5$ •³ yes, it takes 20 minutes 15 seconds or yes, it takes 20·25 minutes 	2
-----	--	--	---

Notes:

1. A numerical comparison is not required eg 20 minutes and 15 seconds < 25 minutes
2. •³ can only be awarded if a time conversion has been calculated eg seconds to minutes
3. Conversion to minutes and seconds is not necessary for •³ however if it has been attempted it must be correct

Commonly Observed Responses:

1. $300 + 500 + 2 + 3 + 300 + 5 + 5 = 1115$, 18 minutes and 35 seconds leading to yes
award 1/2 * ✓
2. $900 + 2 + 300 + 500 + 2 + 3 + 300 + 5 + 5 = 2017$, 33 minutes and 37 seconds leading to no
award 1/2 * ✓

Question		Generic scheme	Illustrative scheme	Max mark
9.	(c)	<ul style="list-style-type: none"> •⁴ Strategy: knows to and starts to calculate the correct two ways of packing •⁵ Process: calculate number of boxes for one arrangement •⁶ Process/Communication: calculate second arrangement and state conclusion 	<ul style="list-style-type: none"> •⁴ Evidence of the two correct ways of packing <li style="padding-left: 20px;">$240 \div 60 = 4$ <li style="padding-left: 20px;">$1250 \div 40 = 31 \cdot 25$ •⁵ $260 \div 15 = 17 \cdot 3 \dots$ <li style="padding-left: 20px;">$17 \times 31 \times 4 = 2108$ <li style="padding-left: 20px;">$240 \div 40 = 6$ •⁶ $1250 \div 60 = 20 \cdot 83 \dots$ <li style="padding-left: 20px;">$260 \div 15 = 17 \cdot 3 \dots$ <li style="padding-left: 20px;">$17 \times 6 \times 20 = 2040$ Maximum – 2108 boxes 	3

Notes:

1. Where a candidate considers more than two arrangements do not award •⁴
2. Where a candidate only considers one incorrect arrangement •⁵ is still available
3. Where a candidate attempts more than two arrangements •⁶ is only available where **all considered** arrangements have been calculated
4. Where •⁵ is lost for an incorrect process, •⁶ can be awarded for repeated incorrect process

Commonly Observed Responses:

1. $78\,000\,000 \div 36\,000 = 2166 \cdot 666 \dots$ award 0/3 * * *

	(d)	<ul style="list-style-type: none"> •⁷ Process: calculate the number of days and hours •⁸ Process: deal with journey time •⁹ Process/Communication: know how to deal with time difference and state date and time of arrival 	<ul style="list-style-type: none"> •⁷ $277 \div 24 = 11$ days and 13 hours •⁸ 15th June at 1100 •⁹ 15th June at 0600 	3
		<p>Alternative Strategy</p> <ul style="list-style-type: none"> •⁷ Process: calculate the number of days and hours •⁸ Process: deal with time difference •⁹ Process/Communication: know how to deal with journey time and state date and time of arrival 	<ul style="list-style-type: none"> •⁷ $277 \div 24 = 11$ days and 13 hours •⁸ e.g. $2200 - 5$ hours = 1700 •⁹ 15th June at 0600 	3

Notes:

1. When journey time is given as a whole number of days •⁸ is not available

Commonly Observed Responses:

Question			Generic scheme	Illustrative scheme	Max mark
10.	(a)	(i)	<ul style="list-style-type: none"> •¹ Strategy/process: know to deal with 0% rate •² Process: calculate national insurance 	<ul style="list-style-type: none"> •¹ $42\,000 - 8164 = 33\,836$ •² $12\% \text{ of } 33\,836 = 4060.32$ 	2
Notes:					
Commonly Observed Responses:					
1. $12\% \text{ of } 42000 = 5040$ award 1/2 ✗ ✓					
		(ii)	<ul style="list-style-type: none"> •³ Process: calculate annual net pay •⁴ Process: calculate monthly net pay 	<ul style="list-style-type: none"> •³ $42\,000 - 5427.96 - 4060.32 - 3360 = 29151.72$ •⁴ $29151.72 \div 12 = 2429.31$ 	2
Notes:					
1. • ⁴ is only available when the candidate involves 42 000 in the calculation of annual net pay					
Commonly Observed Responses:					
1. $(42\,000 - (5427.96 + 3360 + 5040)) \div 12 = 2347.67$ award 2/2 ✓ ✓ (using 5040 from part (a)(i))					
2. $42\,000 \div 12 = 3500$ if given as the final answer award 1/2 ✗ ✓					
3. $(42\,000 - (5427.96 + 3360)) \div 12 = 2767.67$ award 1/2 ✗ ✓					
	(b)		• ⁵ Process: all calculation correct within a valid strategy	• ⁵ $2429.31 - 1714 = 715.31$	1
Notes:					
Commonly Observed Responses:					
1. $2347.67 - 1714 = 633.67$ award 1/1 ✓ (using 5040 from part (a)(i))					

Question		Generic scheme	Illustrative scheme	Max mark
10.	(c)	<ul style="list-style-type: none"> •⁶ Process: calculate the monthly cost of the 1 bedroom apartment •⁷ Process: calculate the monthly cost of the 3 bedroom farmhouse •⁸ Communication: conclusion consistent with working 	<ul style="list-style-type: none"> •⁶ 1 bed: 804·72 •⁷ 3 bed: 618·91 •⁸ the 3 bedroom farmhouse is cheapest 	3
		<p>Alternative strategy</p> <ul style="list-style-type: none"> •⁶ Process: calculate the annual cost of the 1 bedroom apartment or 3 bedroom farmhouse •⁷ Process: calculate the annual cost of the remaining two •⁸ Communication: conclusion consistent with working 	<ul style="list-style-type: none"> •⁶ 9656·64 or 7426·92 •⁷ 7426·92 or 9656·64 and 8760 •⁸ the 3 bedroom farmhouse is cheapest 	3
Notes:				
Commonly Observed Responses:				

Question		Generic scheme	Illustrative scheme	Max mark
11.	(a)	<ul style="list-style-type: none"> •¹ Process: calculate area of 2 longer walkways •² Process: calculate total area 	<ul style="list-style-type: none"> •¹ $2 \times 17.5 \times 1.5 = 52.5$ or $2 \times 16 \times 1.5 = 48$ •² $52.5 + 8 \times 1.5 = 64.5$ or $48 + 11 \times 1.5 = 64.5$ 	2
		Alternative strategy 1 <ul style="list-style-type: none"> •¹ Process: calculate area of shorter walkway •² Process: calculate total area 	<ul style="list-style-type: none"> •¹ $11 \times 1.5 = 16.5$ or $8 \times 1.5 = 12$ •² $16.5 + 2 \times 16 \times 1.5 = 64.5$ or $12 + 2 \times 17.5 \times 1.5 = 64.5$ 	2
		Alternative strategy 2 <ul style="list-style-type: none"> •¹ Process: calculate total area •² Process: calculate area of walkway 	<ul style="list-style-type: none"> •¹ $17.5 \times 11 = 192.5$ •² $192.5 - 8 \times 16 = 64.5$ 	2
Notes: 1. For candidates who calculate the perimeter award 0/2				
Commonly Observed Responses: 1. $2 \times 17.5 \times 1.5 + 11 \times 1.5 = 69$ award 1/2 ✗ ✓ 2. $2 \times 16 \times 1.5 + 8 \times 1.5 = 60$ award 0/2 ✗ ✗				
	(b)	<ul style="list-style-type: none"> •³ Strategy: know how to calculate number of boxes required •⁴ Process: appropriate rounding and calculate cost 	<ul style="list-style-type: none"> •³ $64.5 \times 16 \div 50 (= 20.64)$ •⁴ $21 \times 71.95 = 1510.95$ 	2
Notes: 1. An area in (a) of less than or equal to 3.125, leading to a consistent number of tiles and a cost of 71.95 award 1/2 2. Correct answer with no working award 0/2 3. If there is no evidence of where the number of boxes has come from award 0/2 4. Do not penalise use of £ 5. Do not penalise omission of trailing zero				
Commonly Observed Responses: 1. $69 \times 16 \div 50 (= 22.08) = 23$ leading to $23 \times 71.95 = 1654.85$ award 2/2 ✓ ✓ (using 69 from part (a))				

Question		Generic scheme	Illustrative scheme	Max mark				
11.	(c)	<ul style="list-style-type: none"> •⁵ Strategy: know how to find the volume •⁶ Process: calculate the volume of one part •⁷ Process: calculate volume of remaining part(s) and add •⁸ Process: convert to litres 	<ul style="list-style-type: none"> •⁵ evidence of composite volume •⁶ eg $8 \times 0.5 \times 16 = 64$ •⁷ eg $\frac{1}{2} \times 12 \times 1.5 \times 8 + 64 = 136$ •⁸ $136 \times 100 \times 100 \times 100 / 1000 = 136\ 000$ 	4				
		<p>Alternative Strategy</p> <ul style="list-style-type: none"> •⁵ Strategy: know how to find the volume •⁶ Process: calculate area of cross section •⁷ Process: calculate volume •⁸ Process: convert to litres 	<ul style="list-style-type: none"> •⁵ evidence of multiplying the area of the cross section by 8 •⁶ $\frac{1}{2} \times 12 \times 1.5 + 16 \times 0.5 = 17$ •⁷ $17 \times 8 = 136$ •⁸ $136 \times 100 \times 100 \times 100 / 1000 = 136\ 000$ 	4				
<p>Notes:</p> <ol style="list-style-type: none"> 1. $V = Ah$ is not sufficient evidence for •⁵ 2. •⁶ and •⁷ are not available to candidates who use perimeter in an attempt to find volume 3. In alternative strategy •⁷ can be awarded for multiplying the candidate's calculated area by 8, 16, 2, 0.5, 1.5, 2.5 								
<p>Commonly Observed Responses:</p> <table style="width: 100%; border: none;"> <tr> <td style="width: 60%;">1. $V = 8 \times 0.5 \times 4 = 16$</td> <td style="text-align: right;">award 1/4 x ✓ x x</td> </tr> <tr> <td>2. $A = 8 \times 0.5 \times 4 = 16$</td> <td style="text-align: right;">award 0/4 x x x x</td> </tr> </table>					1. $V = 8 \times 0.5 \times 4 = 16$	award 1/4 x ✓ x x	2. $A = 8 \times 0.5 \times 4 = 16$	award 0/4 x x x x
1. $V = 8 \times 0.5 \times 4 = 16$	award 1/4 x ✓ x x							
2. $A = 8 \times 0.5 \times 4 = 16$	award 0/4 x x x x							

[END OF MARKING INSTRUCTIONS]