



National  
Qualifications  
**SPECIMEN ONLY**

**S844/75/01**

**Applications of Mathematics  
Paper 1 (Non-Calculator)**

## Marking Instructions

---

These marking instructions have been provided to show how SQA would mark this specimen question paper.

The information in this publication may be reproduced to support SQA qualifications only on a non-commercial basis. If it is reproduced, SQA should be clearly acknowledged as the source. If it is to be used for any other purpose, written permission must be obtained from [permissions@sqa.org.uk](mailto:permissions@sqa.org.uk).

Where the publication includes materials from sources other than SQA (ie secondary copyright), this material should only be reproduced for the purposes of examination or assessment. If it needs to be reproduced for any other purpose it is the user's responsibility to obtain the necessary copyright clearance.

## General marking principles for National 5 Applications of Mathematics

*This information is provided to help you understand the general principles you must apply when marking candidate responses to questions in this paper. These principles must be read in conjunction with the detailed marking instructions, which identify the key features required in candidate responses.*

*For each question the marking instructions are generally in two sections, namely generic scheme and illustrative scheme. The generic scheme indicates the rationale for which each mark is awarded. The illustrative scheme covers methods which are commonly seen throughout the marking. In general, markers should use the illustrative scheme and only use the generic scheme where a candidate has used a method not covered in the illustrative scheme.*

- (a) Marks for each candidate response must always be assigned in line with these general marking principles and the detailed marking instructions for this assessment.
- (b) Marking should always be positive. This means that, for each candidate response, marks are accumulated for the demonstration of relevant skills, knowledge and understanding: they are not deducted from a maximum on the basis of errors or omissions.
- (c) If a specific candidate response does not seem to be covered by either the principles or detailed marking instructions, and you are uncertain how to assess it, you must seek guidance from your team leader.
- (d) Credit must be assigned in accordance with the specific assessment guidelines.
- (e) One mark is available for each •. There are no half marks.
- (f) Working subsequent to an error must be **followed through**, with possible credit for the subsequent working, provided that the level of difficulty involved is approximately similar. Where, subsequent to an error, the working for a follow through mark has been eased, the follow through mark cannot be awarded.
- (g) As indicated on the front of the question paper, full credit should only be given where the solution contains appropriate working. Unless specifically mentioned in the marking instructions, a correct answer with no working receives no credit.
- (h) Candidates may use any mathematically correct method to answer questions except in cases where a particular method is specified or excluded.
- (i) As a consequence of an error perceived to be trivial, casual or insignificant, eg  $6 \times 6 = 12$  candidates lose the opportunity of gaining a mark. However, note the second example in comment (j).

- (j) Where a transcription error (paper to script or within script) occurs, the candidate should normally lose the opportunity to be awarded the next process mark, eg

This is a transcription error and so the mark is not awarded.

$$x^2 + 5x + 7 = 9x + 4$$

Eased as no longer a solution of a quadratic equation so mark is not awarded.

$$x - 4x + 3 = 0$$

$$x = 1$$

Exceptionally this error is not treated as a transcription error as the candidate deals with the intended quadratic equation. The candidate has been given the benefit of the doubt and all marks awarded.

$$x^2 + 5x + 7 = 9x + 4$$

$$x - 4x + 3 = 0$$

$$(x - 3)(x - 1) = 0$$

$$x = 1 \text{ or } 3$$

- (k) **Horizontal/vertical marking**

Where a question results in two pairs of solutions, this technique should be applied, but only if indicated in the detailed marking instructions for the question.

Example:

$$\begin{array}{ll} \bullet^5 & \bullet^6 \\ \bullet^5 \quad x = 2 & x = -4 \\ \bullet^6 \quad y = 5 & y = -7 \end{array}$$

Horizontal:  $\bullet^5 x = 2$  and  $x = -4$   
 $\bullet^6 y = 5$  and  $y = -7$

Vertical:  $\bullet^5 x = 2$  and  $y = 5$   
 $\bullet^6 x = -4$  and  $y = -7$

Markers should choose whichever method benefits the candidate, but **not** a combination of both.

- (l) In final answers, unless specifically mentioned in the detailed marking instructions, numerical values should be simplified as far as possible, eg:

$\frac{15}{12}$  must be simplified to  $\frac{5}{4}$  or  $1\frac{1}{4}$

$\frac{43}{1}$  must be simplified to 43

$\frac{15}{0.3}$  must be simplified to 50

$\frac{4}{5}$  must be simplified to  $\frac{4}{15}$

$\sqrt{64}$  must be simplified to 8\*

\*The square root of perfect squares up to and including 100 must be known.

- (m) Unless specifically mentioned in the marking instructions, the following should not be penalised:
- Working subsequent to a correct answer
  - Correct working in the wrong part of a question
  - Legitimate variations in numerical answers/algebraic expressions, eg angles in degrees rounded to nearest degree
  - Omission of units
  - Bad form (bad form only becomes bad form if subsequent working is correct), eg  $(x^3 + 2x^2 + 3x + 2)(2x + 1)$  written as  $(x^3 + 2x^2 + 3x + 2) \times 2x + 1$   
 $2x^4 + 4x^3 + 6x^2 + 4x + x^3 + 2x^2 + 3x + 2$  written as  $2x^4 + 5x^3 + 8x^2 + 7x + 2$  gains full credit
  - Repeated error within a question, but not between questions or papers
- (n) In any ‘Show that...’ question, where the candidate has to arrive at a required result, the last mark of that part is not available as a follow-through from a previous error unless specified in the detailed marking instructions.
- (o) All working should be carefully checked, even where a fundamental misunderstanding is apparent early in the candidate’s response. Marks may still be available later in the question so reference must be made continually to the marking instructions. The appearance of the correct answer does not necessarily indicate that the candidate has gained all the available marks.
- (p) Scored-out working which has not been replaced should be marked where still legible. However, if the scored out working has been replaced, only the work which has not been scored out should be marked.
- (q) Where a candidate has made multiple attempts using the same strategy and not identified their final answer, mark all attempts and award the lowest mark.

Where a candidate has tried different valid strategies, apply the above ruling to attempts within each strategy and then award the highest resultant mark.

For example:


Strategy 1 attempt 1 is worth 3 marks.	Strategy 2 attempt 1 is worth 1 mark.
Strategy 1 attempt 2 is worth 4 marks.	Strategy 2 attempt 2 is worth 5 marks.
From the attempts using strategy 1, the resultant mark would be 3.	From the attempts using strategy 2, the resultant mark would be 1.

In this case, award 3 marks.

**Marking instructions for each question**

Question		Generic scheme	Illustrative scheme	Max mark
1		<p>Ans: 7:30pm</p> <ul style="list-style-type: none"> <li>•<sup>1</sup> Strategy: Know how to deal with flight time and time zone</li> <li>•<sup>2</sup> Process/communication: state time</li> </ul>	<ul style="list-style-type: none"> <li>•<sup>1</sup> Evidence of adding flight time and time zone</li> <li>•<sup>2</sup> 7:30pm</li> </ul>	2
2		<p>Ans: <math>\frac{3}{22}</math></p> <ul style="list-style-type: none"> <li>•<sup>1</sup> Identify correct values</li> <li>•<sup>2</sup> Process/communication: express as a fraction in its simplest form</li> </ul>	<ul style="list-style-type: none"> <li>•<sup>1</sup> Identify 9 and 66</li> <li>•<sup>2</sup> <math>\frac{3}{22}</math></li> </ul>	2

Question		Generic scheme	Illustrative scheme	Max mark
3		<p><b>Ans: No, supported by working</b></p> <ul style="list-style-type: none"> <li>•<sup>1</sup> Strategy: know to use upper/lower limits</li> <li>•<sup>2</sup> Process: calculate % outwith tolerance</li> <li>•<sup>3</sup> Communication: state conclusion</li> </ul>	<ul style="list-style-type: none"> <li>•<sup>1</sup> Evidence of 2.35 and 2.45 (may be implied in <sup>2</sup>)</li> <li>•<sup>2</sup> <math>17/20 = 85\%</math></li> <li>•<sup>3</sup> No, as <math>85\% &lt; 88\%</math></li> </ul>	3
		<p><b>Alternative Strategy 1:</b></p> <ul style="list-style-type: none"> <li>•<sup>1</sup> Strategy: know to use upper/lower limits</li> <li>•<sup>2</sup> Process: calculate % outwith tolerance</li> <li>•<sup>3</sup> Communication: state conclusion</li> </ul>	<ul style="list-style-type: none"> <li>•<sup>1</sup> Evidence of 2.35 and 2.45 (may be implied in <sup>2</sup>)</li> <li>•<sup>2</sup> <math>3/20 = 15\%</math></li> <li>•<sup>3</sup> No, as <math>15\% &gt; 12\%</math></li> </ul>	
		<p><b>Alternative Strategy 2:</b></p> <ul style="list-style-type: none"> <li>•<sup>1</sup> Strategy: know to use upper/lower limits</li> <li>•<sup>2</sup> Process: calculate minimum number needed for batch to be accepted</li> <li>•<sup>3</sup> Communication: state conclusion</li> </ul>	<ul style="list-style-type: none"> <li>•<sup>1</sup> Evidence of 2.35 and 2.45 (may be implied in <sup>2</sup>)</li> <li>•<sup>2</sup> <math>88\% \text{ of } 20 = 17.6</math>, ie need 18</li> <li>•<sup>3</sup> No, as only 17 in tolerance, so batch fails</li> </ul>	
4		<p><b>Ans: (£)7.26</b></p> <ul style="list-style-type: none"> <li>•<sup>1</sup> Strategy: pick correct band</li> <li>•<sup>2</sup> Communication: pick consistent values from table</li> <li>•<sup>3</sup> Process/Communication: conclusion</li> </ul>	<ul style="list-style-type: none"> <li>•<sup>1</sup> band F (could be implied by subsequent working)</li> <li>•<sup>2</sup> 76.13 and 145</li> <li>•<sup>3</sup> <math>2 \times 76.13 - 145 = 7.26</math></li> </ul>	3

Question			Generic scheme	Illustrative scheme	Max mark
5	(a)		Ans: boys with valid reason		
	(b)		Ans: 26, 18, 30 • <sup>1</sup> Process: state the median • <sup>2</sup> Process: state the quartiles		
	(c)		Ans:  • <sup>1</sup> Strategy: correct end points • <sup>2</sup> Strategy: correct box		
6			Ans: (£)764·40 • <sup>1</sup> Process: calculate basic and overtime hours • <sup>2</sup> Process: calculate overtime • <sup>3</sup> Process: calculate gross weekly pay		
7			Ans: 248 (Zloty) • <sup>1</sup> Strategy: know to divide by 30 then multiply by 4·96 • <sup>2</sup> Process: all calculations correct		
8			Ans: $\frac{13}{30}$ • <sup>1</sup> Strategy: know to add fractions • <sup>2</sup> Process: add fractions • <sup>3</sup> Strategy/process: calculate fraction who walked to school		

Question			Generic scheme	Illustrative scheme	Max mark
9			<p><b>Ans:</b> 3 hours 45 minutes</p> <ul style="list-style-type: none"> <li>•<sup>1</sup> Strategy: know how to find the time for 4 bakers</li> <li>•<sup>2</sup> Process: calculate time taken for 4 bakers</li> <li>•<sup>3</sup> Communication: state time in hours and minutes</li> </ul>	<ul style="list-style-type: none"> <li>•<sup>1</sup> evidence</li> <li>•<sup>2</sup> <math>3 \times 5 \div 4 = 3.75</math></li> <li>•<sup>3</sup> 3 hours 45 minutes</li> </ul>	3
10	(a)	(i)	<p><b>Ans:</b> Points marked</p> <ul style="list-style-type: none"> <li>•<sup>1</sup> Strategy: four points plotted correctly</li> <li>•<sup>2</sup> Strategy: remaining three points plotted correctly</li> </ul>	<ul style="list-style-type: none"> <li>•<sup>1</sup> Evidence</li> <li>•<sup>2</sup> Evidence</li> </ul>	2
		(ii)	<p><b>Ans:</b> Acceptable line of best fit drawn</p> <ul style="list-style-type: none"> <li>•<sup>1</sup> Communication: line of best fit drawn</li> </ul>	<ul style="list-style-type: none"> <li>•<sup>1</sup> Evidence</li> </ul>	1
	(b)		<p><b>Ans:</b> No, with justification</p> <ul style="list-style-type: none"> <li>•<sup>1</sup> Strategy: extend line of best fit and read graph</li> <li>•<sup>2</sup> Communication: give reason</li> </ul>	<ul style="list-style-type: none"> <li>•<sup>1</sup> Evidence</li> <li>•<sup>2</sup> No, as the height will only be 2.36 metres at 0830</li> </ul>	2
11			<p><b>Ans:</b> £163.75</p> <ul style="list-style-type: none"> <li>•<sup>1</sup> Calculate selling price of the shares</li> <li>•<sup>2</sup> Calculates 2½% of selling price</li> <li>•<sup>3</sup> Calculates amount she receives</li> <li>•<sup>4</sup> Calculates loss</li> </ul>	<ul style="list-style-type: none"> <li>•<sup>1</sup> <math>200 \times 2.75 = 550</math></li> <li>•<sup>2</sup> £13.75</li> <li>•<sup>3</sup> <math>550 - 13.75 = 536.25</math></li> <li>•<sup>4</sup> <math>700 - 536.25 = 163.75</math></li> </ul>	4

Question		Generic scheme	Illustrative scheme	Max mark
12		<p><b>Ans:</b> Yes, supported by working</p> <ul style="list-style-type: none"> <li>•<sup>1</sup> Process: calculate gradient</li> <li>•<sup>2</sup> Strategy: know how to compare gradients</li> <li>•<sup>3</sup> Communication: state conclusion consistent with working</li> </ul>	<ul style="list-style-type: none"> <li>•<sup>1</sup> 15/200</li> <li>•<sup>2</sup> <math>15/200 = 0.075</math></li> <li>•<sup>3</sup> yes, <math>0.06 &lt; 0.075 &lt; 0.08</math></li> </ul>	3
13	(a)	<p><b>Ans:</b> (£)1011</p> <ul style="list-style-type: none"> <li>•<sup>1</sup> Strategy: know to add semi-circle and 3 straight edges</li> <li>•<sup>2</sup> Process: calculate perimeter</li> <li>•<sup>3</sup> Process: calculate cost</li> </ul>	<ul style="list-style-type: none"> <li>•<sup>1</sup> Evidence</li> <li>•<sup>2</sup> <math>\frac{1}{2} \times 3.14 \times 20 + 20 + 8 + 8 = 67.4</math></li> <li>•<sup>3</sup> <math>67.4 \times 5 \times 3 = 1011</math></li> </ul>	3
	(b)	<p><b>Ans:</b> task letters and times inserted into chart</p> <ul style="list-style-type: none"> <li>•<sup>1</sup> Strategy: start to allocate tasks</li> <li>•<sup>2</sup> Strategy: complete allocation of tasks</li> </ul>	<ul style="list-style-type: none"> <li>•<sup>1</sup> Any 7 boxes correct</li> <li>•<sup>2</sup> Remaining 4 boxes correct</li> </ul>	2
	(c)	<p><b>Ans:</b> no with reason</p> <ul style="list-style-type: none"> <li>•<sup>1</sup> Strategy: select critical path</li> <li>•<sup>2</sup> Communication: state conclusion with reason</li> </ul>	<ul style="list-style-type: none"> <li>•<sup>1</sup> <math>2 + 4 + 2 + 1 + 2 + 1</math></li> <li>•<sup>2</sup> No, because it will take 12 hours</li> </ul>	2

[END OF SPECIMEN MARKING INSTRUCTIONS]



National  
Qualifications  
SPECIMEN ONLY

S844/75/02

**Applications of Mathematics  
Paper 2**

## Marking Instructions

---

These marking instructions have been provided to show how SQA would mark this specimen question paper.

The information in this publication may be reproduced to support SQA qualifications only on a non-commercial basis. If it is reproduced, SQA should be clearly acknowledged as the source. If it is to be used for any other purpose, written permission must be obtained from [permissions@sqa.org.uk](mailto:permissions@sqa.org.uk).

Where the publication includes materials from sources other than SQA (ie secondary copyright), this material should only be reproduced for the purposes of examination or assessment. If it needs to be reproduced for any other purpose it is the user's responsibility to obtain the necessary copyright clearance.

## General marking principles for National 5 Applications of Mathematics

*This information is provided to help you understand the general principles you must apply when marking candidate responses to questions in this paper. These principles must be read in conjunction with the detailed marking instructions, which identify the key features required in candidate responses.*

*For each question the marking instructions are generally in two sections, namely generic scheme and illustrative scheme. The generic scheme indicates the rationale for which each mark is awarded. The illustrative scheme covers methods which are commonly seen throughout the marking. In general, markers should use the illustrative scheme and only use the generic scheme where a candidate has used a method not covered in the illustrative scheme.*

- (a) Marks for each candidate response must always be assigned in line with these general marking principles and the detailed marking instructions for this assessment.
- (b) Marking should always be positive. This means that, for each candidate response, marks are accumulated for the demonstration of relevant skills, knowledge and understanding: they are not deducted from a maximum on the basis of errors or omissions.
- (c) If a specific candidate response does not seem to be covered by either the principles or detailed marking instructions, and you are uncertain how to assess it, you must seek guidance from your team leader.
- (d) Credit must be assigned in accordance with the specific assessment guidelines.
- (e) One mark is available for each •. There are no half marks.
- (f) Working subsequent to an error must be **followed through**, with possible credit for the subsequent working, provided that the level of difficulty involved is approximately similar. Where, subsequent to an error, the working for a follow through mark has been eased, the follow through mark cannot be awarded.
- (g) As indicated on the front of the question paper, full credit should only be given where the solution contains appropriate working. Unless specifically mentioned in the marking instructions, a correct answer with no working receives no credit.
- (h) Candidates may use any mathematically correct method to answer questions except in cases where a particular method is specified or excluded.
- (i) As a consequence of an error perceived to be trivial, casual or insignificant, eg  $6 \times 6 = 12$  candidates lose the opportunity of gaining a mark. However, note the second example in comment (j).

- (j) Where a transcription error (paper to script or within script) occurs, the candidate should normally lose the opportunity to be awarded the next process mark, eg

This is a transcription error and so the mark is not awarded.

$$x^2 + 5x + 7 = 9x + 4$$

Eased as no longer a solution of a quadratic equation so mark is not awarded.

$$x - 4x + 3 = 0$$

$$x = 1$$

Exceptionally this error is not treated as a transcription error as the candidate deals with the intended quadratic equation. The candidate has been given the benefit of the doubt and all marks awarded.

$$x^2 + 5x + 7 = 9x + 4$$

$$x - 4x + 3 = 0$$

$$(x - 3)(x - 1) = 0$$

$$x = 1 \text{ or } 3$$

- (k) **Horizontal/vertical marking**

Where a question results in two pairs of solutions, this technique should be applied, but only if indicated in the detailed marking instructions for the question.

Example:

$$\begin{array}{ll} \bullet^5 & \bullet^6 \\ \bullet^5 \quad x = 2 & x = -4 \\ \bullet^6 \quad y = 5 & y = -7 \end{array}$$

Horizontal:  $\bullet^5 x = 2$  and  $x = -4$   
 $\bullet^6 y = 5$  and  $y = -7$

Vertical:  $\bullet^5 x = 2$  and  $y = 5$   
 $\bullet^6 x = -4$  and  $y = -7$

Markers should choose whichever method benefits the candidate, but **not** a combination of both.

- (l) In final answers, unless specifically mentioned in the detailed marking instructions, numerical values should be simplified as far as possible, eg:

$\frac{15}{12}$  must be simplified to  $\frac{5}{4}$  or  $1\frac{1}{4}$

$\frac{43}{1}$  must be simplified to 43

$\frac{15}{0.3}$  must be simplified to 50

$\frac{4}{5}$  must be simplified to  $\frac{4}{15}$

$\sqrt{64}$  must be simplified to 8\*

\*The square root of perfect squares up to and including 100 must be known.

(m) Unless specifically mentioned in the marking instructions, the following should not be penalised:

- Working subsequent to a correct answer
- Correct working in the wrong part of a question
- Legitimate variations in numerical answers/algebraic expressions, eg angles in degrees rounded to nearest degree
- Omission of units
- Bad form (bad form only becomes bad form if subsequent working is correct), eg  $(x^3 + 2x^2 + 3x + 2)(2x + 1)$  written as  $(x^3 + 2x^2 + 3x + 2) \times 2x + 1$

$2x^4 + 4x^3 + 6x^2 + 4x + x^3 + 2x^2 + 3x + 2$  written as  $2x^4 + 5x^3 + 8x^2 + 7x + 2$  gains full credit

- Repeated error within a question, but not between questions or papers

(n) In any ‘Show that...’ question, where the candidate has to arrive at a required result, the last mark of that part is not available as a follow-through from a previous error unless specified in the detailed marking instructions.

(o) All working should be carefully checked, even where a fundamental misunderstanding is apparent early in the candidate’s response. Marks may still be available later in the question so reference must be made continually to the marking instructions. The appearance of the correct answer does not necessarily indicate that the candidate has gained all the available marks.

(p) Scored-out working which has not been replaced should be marked where still legible. However, if the scored out working has been replaced, only the work which has not been scored out should be marked.

(q) Where a candidate has made multiple attempts using the same strategy and not identified their final answer, mark all attempts and award the lowest mark.

Where a candidate has tried different valid strategies, apply the above ruling to attempts within each strategy and then award the highest resultant mark.

For example:

Strategy 1 attempt 1 is worth 3 marks.	Strategy 2 attempt 1 is worth 1 mark.
Strategy 1 attempt 2 is worth 4 marks.	Strategy 2 attempt 2 is worth 5 marks.
From the attempts using strategy 1, the resultant mark would be 3.	From the attempts using strategy 2, the resultant mark would be 1.

In this case, award 3 marks.

**Marking instructions for each question**

Question		Generic scheme	Illustrative scheme	Max mark
1		<p><b>Ans: (£)688 000</b></p> <ul style="list-style-type: none"> <li>•<sup>1</sup> Strategy: identify multiplier</li> <li>•<sup>2</sup> Strategy: identify power</li> <li>•<sup>3</sup> Process: calculate value</li> <li>•<sup>4</sup> Communication: round answer to 3 significant figures</li> </ul>	<ul style="list-style-type: none"> <li>•<sup>1</sup> 0·959</li> <li>•<sup>2</sup> ...<sup>3</sup></li> <li>•<sup>3</sup> 687939·7816</li> <li>•<sup>4</sup> 688 000</li> </ul>	4
2		<p><b>Ans: Correct amount marked on gauge</b></p> <ul style="list-style-type: none"> <li>•<sup>1</sup> Process: calculate amount of fuel remaining, as a fraction</li> <li>•<sup>2</sup> Communication: mark on gauge consistent with working</li> </ul>	<ul style="list-style-type: none"> <li>•<sup>1</sup> 24/64 or equivalent</li> <li>•<sup>2</sup> Evidence</li> </ul>	2

Question			Generic scheme	Illustrative scheme	Max mark
3	(a)	(i)	<p><b>Ans:</b> (<math>\bar{x} =</math>) 48·7</p> <ul style="list-style-type: none"> <li>•<sup>1</sup> Process: calculate mean</li> </ul>	<ul style="list-style-type: none"> <li>•<sup>1</sup> (<math>\bar{x} =</math>) 48·7</li> </ul>	1
		(ii)	<p><b>Ans:</b> (<math>s =</math>) 1·24</p> <ul style="list-style-type: none"> <li>•<sup>2</sup> Process: calculate <math>(x - \bar{x})^2</math></li> <li>•<sup>3</sup> Strategy: substitute into formula</li> <li>•<sup>4</sup> Process: calculate standard deviation</li> </ul>	<ul style="list-style-type: none"> <li>•<sup>2</sup> 0·81, 0·16, 2·25, 0·64, 3·24, 0·64</li> <li>•<sup>3</sup> <math display="block">\sqrt{\frac{7.74}{5}}</math></li> <li>•<sup>4</sup> (<math>s =</math>) 1·24</li> </ul>	
	(b)		<p><b>Ans:</b> Two valid comments.</p> <ul style="list-style-type: none"> <li>•<sup>1</sup> Communication: comment regarding the mean</li> <li>•<sup>2</sup> Communication: comment regarding standard deviation</li> </ul>	<ul style="list-style-type: none"> <li>•<sup>1</sup> On average, the athlete's times have increased training with the coach.</li> <li>•<sup>2</sup> The athlete's times are more consistent after training with the coach.</li> </ul>	2
4			<p><b>Ans:</b> Pie chart constructed</p> <ul style="list-style-type: none"> <li>•<sup>1</sup> Strategy/process: interpret graph and state fraction for each type of car</li> <li>•<sup>2</sup> Process: calculate angles</li> <li>•<sup>3</sup> Process/communication: construct pie chart</li> </ul>	<ul style="list-style-type: none"> <li>•<sup>1</sup> <math>\frac{30}{150}, \frac{65}{150}, \frac{55}{150}</math> or equivalent</li> <li>•<sup>2</sup> <math>72^\circ, 156^\circ, 132^\circ</math></li> <li>•<sup>3</sup> Pie chart completed with labels</li> </ul>	3

Question		Generic scheme	Illustrative scheme	Max mark
5	(a)	<p><b>Ans: 252 (boxes)</b></p> <ul style="list-style-type: none"> <li>•<sup>1</sup> Strategy: consider three options</li> <li>•<sup>2</sup> Process: find number of boxes for one option</li> <li>•<sup>3</sup> Process/communication: find at least one other option and state maximum</li> </ul>	<ul style="list-style-type: none"> <li>•<sup>1</sup> evidence</li> <li>•<sup>2</sup> 210 or 210 or 252</li> <li>•<sup>3</sup> 252</li> </ul>	3
	(b)	<p><b>Ans: £2·49</b></p> <ul style="list-style-type: none"> <li>•<sup>1</sup> Process: calculate total cost of sending boxes</li> <li>•<sup>2</sup> Process: calculate cost per handbag</li> </ul>	<ul style="list-style-type: none"> <li>•<sup>1</sup> <math>£1755 + 252 \times £2·99 = £2508·48</math></li> <li>•<sup>2</sup> <math>£2508·48 \div 252 \div 4 = £2·49</math></li> </ul>	2

Question		Generic scheme	Illustrative scheme	Max mark
6	(a)	<p><b>Ans: (£)4269·20</b></p> <ul style="list-style-type: none"> <li>•<sup>1</sup> Process: calculate first rate National Insurance</li> <li>•<sup>2</sup> Process: calculate second rate National Insurance</li> <li>•<sup>3</sup> Process: calculate annual National Insurance contributions</li> </ul>	<ul style="list-style-type: none"> <li>•<sup>1</sup> <math>0\cdot12 \times (42380 - 8060) = 4118\cdot40</math></li> <li>•<sup>2</sup> <math>0\cdot02 \times (49920 - 42380) = 150\cdot80</math></li> <li>•<sup>3</sup> <math>4118\cdot40 + 150\cdot80 = 4269\cdot20</math></li> </ul>	3
	(b)	<p><b>Ans: (£)2857·33</b></p> <ul style="list-style-type: none"> <li>•<sup>1</sup> Process: calculate pension contribution</li> <li>•<sup>2</sup> Process: calculate annual net salary</li> <li>•<sup>3</sup> Process: calculate monthly net pay</li> </ul>	<ul style="list-style-type: none"> <li>•<sup>1</sup> <math>0\cdot09 \times 49920 = 4492\cdot80</math></li> <li>•<sup>2</sup> <math>49920 - (4492\cdot80 + 4269\cdot20 + 6870\cdot04) = 34287\cdot96</math></li> <li>•<sup>3</sup> <math>(34287\cdot96 \div 12) = 2857\cdot33</math></li> </ul>	3
	(c)	<p><b>Ans: He will have enough.</b></p> <ul style="list-style-type: none"> <li>•<sup>1</sup> Process: calculate surplus/deficit</li> <li>•<sup>2</sup> Communication: make conclusion</li> </ul>	<ul style="list-style-type: none"> <li>•<sup>1</sup> <math>2857\cdot33 - (750 + 450 + 625 + 125 + 350) = 557\cdot33</math></li> <li>•<sup>2</sup> Yes. He will have enough.</li> </ul>	2

Question		Generic scheme	Illustrative scheme	Max mark
7	(a)	<p><b>Ans:</b> Route correctly drawn</p> <ul style="list-style-type: none"> <li>•<sup>1</sup> Process: calculate scale distances</li> <li>•<sup>2</sup> Process/communication: correct bearing measured and correct length drawn</li> <li>•<sup>3</sup> Process/communication: correct bearing measured and correct length drawn</li> </ul>	<ul style="list-style-type: none"> <li>•<sup>1</sup> <math>22 \div 5 = 4.4 \text{ cm}</math></li> <li><math>37 \div 5 = 7.4 \text{ cm}</math></li> <li>•<sup>2</sup> Bearing of <math>045^\circ (\pm 1^\circ)</math> measured correctly and <math>4.4 \text{ cm} (\pm 0.1 \text{ cm})</math> correctly drawn</li> <li>•<sup>3</sup> Bearing of <math>170^\circ (\pm 1^\circ)</math> measured correctly</li> </ul>	3
	(b)	<p><b>Ans:</b> <math>314^\circ</math></p> <ul style="list-style-type: none"> <li>•<sup>1</sup> Process: bearing consistent with diagram</li> </ul> <p><b>Ans:</b> <math>30.5</math> (miles)</p> <ul style="list-style-type: none"> <li>•<sup>2</sup> Process: distance consistent with diagram</li> </ul>	<ul style="list-style-type: none"> <li>•<sup>1</sup> <math>314</math></li> <li>•<sup>2</sup> <math>6.1 \text{ cm}</math> so <math>30.5</math> miles</li> </ul>	2
	(c)	<p><b>Ans:</b> <math>20.26</math> mph</p> <ul style="list-style-type: none"> <li>•<sup>1</sup> Process: calculate total distance</li> <li>•<sup>2</sup> Process: calculate decimal time</li> <li>•<sup>3</sup> Process: calculate average speed</li> </ul>	<ul style="list-style-type: none"> <li>•<sup>1</sup> <math>30.5 + 22 + 37 = 89.5</math></li> <li>•<sup>2</sup> <math>8 \text{ hour } 30 \text{ min} - 4 \text{ hour } 5 \text{ min} = 4 \text{ hour } 25 \text{ min}</math>  <math>\frac{25}{60} = 4.416\dots</math></li> <li>•<sup>3</sup> <math>\frac{89.5}{4.416\dots} = 20.264\dots</math></li> </ul>	3

Question			Generic scheme	Illustrative scheme	Max mark
8	(a)	(i)	<p><b>Ans: \$183</b></p> <ul style="list-style-type: none"> <li>•<sup>1</sup> Strategy: identify the costs not included</li> <li>•<sup>2</sup> Process: calculate the cost for card 1</li> </ul>	<ul style="list-style-type: none"> <li>•<sup>1</sup> \$32 and \$37</li> <li>•<sup>2</sup> <math>\\$114 + 32 + 37 = \\$183</math></li> </ul>	2
		(ii)	<p><b>Ans: \$157 supported by working</b></p> <ul style="list-style-type: none"> <li>•<sup>3</sup> Strategy: identify the “missing” attraction and the two cheapest attractions</li> <li>•<sup>4</sup> Process: calculate the cost for card 2</li> <li>•<sup>5</sup> Process: state cost of card 3</li> <li>•<sup>6</sup> Communication: state the cheapest price</li> </ul>	<ul style="list-style-type: none"> <li>•<sup>3</sup> \$24, \$32 and \$30</li> <li>•<sup>4</sup> <math>\\$71 + \\$24 + \\$32 + \\$30 = \\$157</math></li> <li>•<sup>5</sup> \$180</li> <li>•<sup>6</sup> \$157</li> </ul>	4
	(b)		<p><b>Ans: £1 gives \$1.555 or \$1 gives £0.643</b></p> <ul style="list-style-type: none"> <li>•<sup>1</sup> Strategy: evidence of knowing to divide</li> <li>•<sup>2</sup> Process: state rounded answer</li> </ul>	<ul style="list-style-type: none"> <li>•<sup>1</sup> <math>157 \div 100.96</math> or <math>100.96 \div 157</math></li> <li>•<sup>2</sup> £1 gives \$1.555 or \$1 gives £0.643</li> </ul>	2

Question		Generic scheme	Illustrative scheme	Max mark
<b>9</b>	(a)	<p><b>Ans: 9(m)</b></p> <ul style="list-style-type: none"> <li>•<sup>1</sup> Strategy/process: use Pythagoras Theorem to calculate hypotenuse</li> <li>•<sup>2</sup> Process: calculate diameter</li> </ul>	<ul style="list-style-type: none"> <li>•<sup>1</sup> 25</li> <li>•<sup>2</sup> <math>25 - 16 = 9</math></li> </ul>	<b>2</b>
	(b)	<p><b>Ans: 118·2(m<sup>2</sup>)</b></p> <ul style="list-style-type: none"> <li>•<sup>1</sup> Strategy: triangle - semi circle</li> <li>•<sup>2</sup> Process: find the area of the pond</li> <li>•<sup>3</sup> Process: calculate the area to be covered with chips</li> </ul>	<ul style="list-style-type: none"> <li>•<sup>1</sup> evidence</li> <li>•<sup>2</sup> <math>\frac{1}{2} \times \pi \times 4\cdot5^2 = 31\cdot808\dots</math></li> <li>•<sup>3</sup> <math>150 - 31\cdot808\dots = 118\cdot191\dots</math></li> </ul>	<b>3</b>
	(c)	<p><b>Ans: (£)613·83</b></p> <ul style="list-style-type: none"> <li>•<sup>1</sup> Process: Calculate weight of chips required</li> <li>•<sup>2</sup> Process: Calculate number of bags required</li> <li>•<sup>3</sup> Process: Calculate cost</li> </ul>	<ul style="list-style-type: none"> <li>•<sup>1</sup> <math>118\cdot2 \div 20 \times 1000 = 5910</math></li> <li>•<sup>2</sup> <math>5910 \div 25 = 236\cdot4</math>, 237 bags</li> <li>•<sup>3</sup> <math>237 \times 2\cdot59 = 613\cdot83</math></li> </ul>	<b>3</b>

Question		Generic scheme	Illustrative scheme	Max mark
10	(a)	<p><b>Ans:</b> 32 candles</p> <ul style="list-style-type: none"> <li>•<sup>1</sup> Strategy: know how to use ratio</li> <li>•<sup>2</sup> Process: find total amount of wax used</li> <li>•<sup>3</sup> Process: find number of candles</li> </ul> <p><b>Alternative Strategy:</b></p> <ul style="list-style-type: none"> <li>•<sup>1</sup> Strategy: know how to use ratio</li> <li>•<sup>2</sup> Process: finds volume of red wax available and volume of red wax in candle</li> <li>•<sup>3</sup> Process: find number of candles</li> </ul>	<ul style="list-style-type: none"> <li>•<sup>1</sup> evidence of knowing how to scale up the ratio</li> <li>•<sup>2</sup> <math>12000 + 4000 + 8000 = 24000 \text{ cm}^3</math></li> <li>•<sup>3</sup> <math>24000 \div 729 = 32.92\dots = 32</math></li> </ul>	3
	(b)	<p><b>Ans:</b> (£)2.43/2.42</p> <ul style="list-style-type: none"> <li>•<sup>1</sup> Process: find cost of wax plus wicks</li> <li>•<sup>2</sup> Process: add 65%</li> <li>•<sup>3</sup> Process: find selling price of 1 candle</li> </ul>	<ul style="list-style-type: none"> <li>•<sup>1</sup> <math>3 \times 13.75 + 32 \times 0.18 = 47.01</math></li> <li>•<sup>2</sup> <math>47.01 \times 1.65 = 77.57</math></li> <li>•<sup>3</sup> <math>77.57 \div 32 = 2.424\dots = 2.43</math></li> </ul>	3

Question		Generic scheme	Illustrative scheme	Max mark
(c)		<p><b>Ans: no supported by working</b></p> <ul style="list-style-type: none"> <li>•<sup>1</sup> Strategy: knows how to find compound volume</li> <li>•<sup>2</sup> Strategy: substitute into cylinder formula</li> <li>•<sup>3</sup> Process: find volume of cylinder</li> <li>•<sup>4</sup> Strategy: substitute into cone formula</li> <li>•<sup>5</sup> Process: find volume of cone</li> <li>•<sup>6</sup> Process: find the number of candles that can be made</li> <li>•<sup>7</sup> Communication: valid conclusion</li> </ul>	<ul style="list-style-type: none"> <li>•<sup>1</sup> evidence</li> <li>•<sup>2</sup> <math>V = \pi \times 3.5 \times 3.5 \times 12</math></li> <li>•<sup>3</sup> 461.8 (or 461.58)</li> <li>•<sup>4</sup> <math>V = \frac{1}{3}\pi \times 3.5 \times 3.5 \times 4</math></li> <li>•<sup>5</sup> 51.3</li> <li>•<sup>6</sup> <math>461.8 + 51.3 = 513.1</math>,  <math>12000 \div 513.1 = 23.38</math></li> <li>•<sup>7</sup> no he can't make 25 candles</li> </ul>	7

[END OF SPECIMEN MARKING INSTRUCTIONS]