



**2002 Physics
Intermediate 2
Section A and B
Detailed Marking Instructions**

Strictly Confidential

These instructions are **strictly confidential** and, in common with the scripts entrusted to you for marking, they must never form the subject of remark of any kind, except to Scottish Qualifications Authority. Finalised Marking Instructions will be published on SQA's website in due course.

Markers' Meeting

You should use the time before the meeting to make yourself familiar with the question paper, instructions and any scripts which you have received. Do **not** undertake any final approach to marking until **after** the meeting. Please note any points of difficulty for discussion at the meeting.

Note: These instructions can be considered as final only after the markers' meeting when the full marking team has had an opportunity to discuss and finalise the document in the light of a wider range of candidates' responses.

Marking

The utmost care must be taken when entering and totalling marks. Where appropriate, all summations for totals must be carefully checked and confirmed.

Where a candidate has scored zero marks for any question attempted, "0" should be entered against the answer.

Recording of Marks

The mark for each **question**, where appropriate, should be entered **either** on the grid provided on the back page of the answer book, **or** in the case of question/answer books, on the grid (if provided) on the last page of the book. Where papers assess more than one element, care must be taken to ensure that marks are entered in the correct column.

The **Total** mark for each paper or element should be entered (in red ink) in the box provided in the top-right corner of the front cover of the answer book (or question/answer book).


Always enter the **Total** mark as a **whole number**, where necessary by the process of rounding up.

The transcription of marks, within booklets and to the Mark Sheet should always be checked.

Markers are reminded that they must not write comments on scripts.

Physics Intermediate 2 2001 (contd.)

29. (a) (i)

(ii) $P = 20 D$

(b) Difficulty in seeing objects a short distance from the eyes

OR

Eye not powerful enough to focus close objects on retina

OR

Eye focuses close objects behind retina

30. (a) 1.11×10^9 decays/disintegrations per second(b) $H = 1.17 \times 10^{-3} \text{ Sv}$ or 1.17 mSv

(c) To ensure people are kept a safe distance from the source

31. (a) (i) To extract the heat energy

(ii) To slow down (fast) neutrons

(b) Some of the neutrons bombard other uranium nuclei and cause further fissions or splits. These fissions produce more neutrons and maintain the reaction process.

(c) (i) 28 ± 1 year(ii) 76 ± 2 years

(iii) Any suitable storage method, e.g. underwater, in concrete, underground

Physics Intermediate 2 2002

Section A

- | | | |
|-------|-------|-------|
| 1. B | 2. D | 3. B |
| 4. C | 5. A | 6. B |
| 7. C | 8. B | 9. A |
| 10. B | 11. B | 12. A |
| 13. C | 14. E | 15. D |
| 16. B | 17. E | 18. E |
| 19. D | 20. C | |

Section B

21. (a) $E_p = 3\,355\,000 \text{ J}$ (b) (i) $E_w = 76\,600\,000 \text{ J}$ (ii) $P = 42\,560 \text{ W}$

(c) Potential energy lost by descending capsules

22. (a) horizontal motion is constant speed
vertical motion is (constant) acceleration**OR** Speed increasing**OR** Faster**OR** Acceleration due to gravity**OR** Force of gravity**OR** Pull of gravity**OR** Weight

22. (contd.)

(b) (i) Speed = 8 m/s (ii) Light gate (at exit of firing device)
diameter of ball measured
time for ball to cut light beam measured
speed = $\frac{\text{diameter}}{\text{time}}$ **OR** speed = $\frac{\text{distance}}{\text{time}}$

if distance previously specified

(iii) Distance = 0.313 m (c) $v = 11.2 \text{ m/s}$ 23. (a) $a = 1.5 \text{ m/s}^2$ (b) Friction force = $15\,250 \text{ N}$

(c) Greater air resistance on bales

ORGreater air friction on bales
frictional force will reach $15\,250 \text{ N}$
at lower speed24. (a) $N_s = 200$ (b) $E = 4500 \text{ J}$ (c) $E_H = 4053 \text{ J}$

(d) Heat (energy) lost to surroundings/air/atmosphere/heating element

(e) Heat \rightarrow electrical25. (a) (i) $V_1 = 1.8 \text{ V}$ $V_2 = 1.2 \text{ V}$ (ii) $V_S = 3.0 \text{ V}$ (b) $R = 3000 \Omega$

(c) Light intensity is decreasing

 V_1 is increasing

Resistance (of LDR) is increasing

(d) V_2 is below 0.7 V between 20 s and 50 s
transistor is switched off26. (a) $I = 0.174 \text{ A}$ (b) $R = 1323 \Omega$

(c) Position 1

Maximum voltage (across motor)

OR

Maximum current (in motor)

OR 230 V (across motor)**OR**

No extra resistance to decrease current

(d) $R = 200 \Omega$

27. (a) Movement of coil in magnetic field

ORMovement of coil near magnet
change in direction of coil \Rightarrow a.c.(b) Greater number of turns in the coil
stronger magnet/magnetic field**OR**

more powerful magnet

(c) Gain = 250

2002 Physics Intermediate 2

Sample Answer and Mark Allocation	Notes	Marks
<p>21. (a) $E_p = mgh$ (1)</p> <p>$E_p = 2750 \times 10 \times 122$ (1)</p> <p>$E_p = 3\,355\,000\text{ J}$ (1) (1)</p>		2
<p>(b) (i) $E_w = Fd$ (1)</p> <p>$E_w = 200\,000 \times 383$ (1)</p> <p>$E_w = 76\,600\,000\text{ J}$ (1) (1)</p>		2
<p>(ii) $E = Pt$ (1)</p> <p>$76\,600\,000 = P \times 1800$ (1)</p> <p>$P = 42\,560\text{ W}$ (1) (1)</p>	43000 W → 42556 W	2
<p>(c) <u>potential energy lost</u> (1) by <u>descending capsules</u> (1)</p>		2
<p>NOTE: If in (b)(i) 200 N used this will give in (b)(ii) $P = 43\text{ W} \rightarrow 42\,556\text{ W}$</p> <p>NOTE: If in (b)(ii) 30 used for time this will give $P = 2\,553\,333\text{ W}$</p> <p>Deduct $\frac{1}{2}$ for arithmetic</p> <p>Deduct for significant figures</p>		Total 8

2002 Physics Intermediate 2

Sample Answer and Mark Allocation	Notes	Marks
<p>22. (a) horizontal motion is constant speed (1) vertical motion is (constant) acceleration (1) OR speed increasing OR faster OR acceleration due to gravity OR force of gravity OR pull of gravity OR weight</p>		2
<p>(b) (i) 8 m/s (1) OR (0)</p>		1
<p>(ii) light gate (at exit of firing device) (1) diameter of ball measured (½) time for ball to cut light beam measured (½) speed = $\frac{\text{diameter}}{\text{time}}$ (1) OR speed = $\frac{\text{distance}}{\text{time}}$ if distance previously specified</p>		3
<p>(iii) distance = area under graph (½) distance = $\frac{1}{2} \times 0.25 \times 2.5$ (½) distance = 0.313 m (½) (½)</p>	0.3 m → 0.3125 m	2
<p>(c) $d = vt$ (½) $2.8 = v \times 0.25$ (½) $v = 11.2 \text{ m/s}$ (½) (½)</p>		2
<p>NOTES: (b)(ii) 2 light gates gives zero marks (b)(ii) If computer used then all inputs to the computer (diameter, time) must be mentioned.</p>		Total 10

2002 Physics Intermediate 2

Sample Answer and Mark Allocation	Notes	Marks
<p>23. (a) $F = ma$ (1)</p> <p>14 250 (1) = 9500 × a (1)</p> <p>$a = 1.5 \text{ m/s}^2$ (1) (1)</p>		3
<p>(b) 15 250 N (1) OR (0)</p>		1
<p>(c) greater <u>air</u> resistance on bales (1) OR greater <u>air</u> friction on bales frictional force will reach 15 250 N at lower speed (1)</p>		2
<p>NOTES:</p> <p>(a) Any other force value gives maximum formula mark.</p> <p>(c) Accept greater wind resistance. Do not accept less aerodynamic less streamlined But linking less aerodynamic with more friction is ok.</p>		<p>Total 6</p>

2002 Physics Intermediate 2

Sample Answer and Mark Allocation	Notes	Marks
<p>24. (a) $\frac{N_s}{N_p} = \frac{V_s}{V_p}$ (1) OR Turns ratio = $\frac{230}{25} = 9.2$ (1)</p> <p>$\frac{N_s}{1840} = \frac{25}{230}$ (1) $\frac{1840}{9.2} = 200$ (1)</p> <p>$N_s = 200$ (1) NOTE: $\frac{1}{2}$ unit deduction for wrong unit.</p>		2
<p>(b) $E = P t$ (1)</p> <p>$E = 90 \times 50$ (1)</p> <p>$E = 4500 \text{ J}$ (1) (1)</p>		2
<p>(c) $E_H = c m \Delta T$ (1)</p> <p>$E_H = 386 \times 0.03 \times 350$ (1)</p> <p>$E_H = 4053 \text{ J}$ (1) (1)</p>		2
<p>(d) heat energy lost (1) OR heat lost OR energy lost to surroundings (1) OR to air OR to atmosphere OR to heating element</p>		2
<p>(e) heat \rightarrow electrical (1)</p>		1
<p>NOTES:</p> <p>(d) Do not accept Not 100% efficient</p> <p>(e) Do not accept heat \rightarrow electricity</p>		Total 9

2002 Physics Intermediate 2		
Sample Answer and Mark Allocation	Notes	Marks
25. (a) (i) $V_1 = 1.8 \text{ V}$ (1) $V_2 = 1.2 \text{ V}$ (1)		1
(ii) $V_s = 3.0 \text{ V}$ (1)	Must be sum of (a)(i) $\frac{1}{2}$ unit deduction	1
(b) $\frac{V_1}{V_2} = \frac{R_1}{R_2}$ (1) OR $V = IR$ (1) $\frac{1.8}{1.2} = \frac{R_1}{2000}$ (1) $1.2 = I \times 2000$ $R_1 = 3000 \Omega$ (1) (1) $I = 0.0006 \text{ A}$ (1) $V = IR$ $1.8 = 0.0006 \times R$ $R = 3000 \Omega$ (1) (1)	OR $V_1 = \frac{R_1}{R_2} \times V_s$ $1.8 = \left(\frac{R_1}{R + 2000} \right) \times 3$ $R_1 = 3000 \Omega$ OR 1.2:2000 1.8:3000	2
(c) light intensity is decreasing (1) V_1 is increasing (1) resistance (of LDR) is increasing (1)		3
		2
NOTES : (c) Statement of intensity decreasing alone gets zero marks. (c) Statement of intensity decreasing followed by wrong explanation gets 1 mark. (c) V_1 increases (anywhere in answer) (1) $V_1 \uparrow \Rightarrow R \uparrow$ OR $V_1 \downarrow \Rightarrow R \downarrow$ (1) $R \uparrow \Rightarrow I \downarrow$ OR $R \downarrow \Rightarrow I \uparrow$ (1)		

2002 Physics Intermediate 2

Sample Answer and Mark Allocation	Notes	Marks
25. (d) V_2 is below 0.7 V between 20 s and 50 s (1) transistor is switched off (1)	Independent marks	2
		Total 9

2002 Physics Intermediate 2

Sample Answer and Mark Allocation	Notes	Marks
<p>26. (a) $P = IV$ (1)</p> <p>$40 = I \times 230$ (1)</p> <p>$I = 0.174 \text{ A}$ (1) (1) $0.2 \rightarrow 0.1739 \text{ A}$</p>		2
<p>(b) $V = IR$ (1) OR $P = \frac{V^2}{R}$ (1)</p> <p>$230 = 0.174 \times R$ (1)</p> <p>$R = 1322.5 \Omega$ (1) (1) $40 = \frac{230^2}{R}$ (1)</p> <p>$R = 1322.5 \Omega$ (1) (1)</p>	<p>OR</p> <p>$P = I^2R$ (1)</p> <p>$40 = (0.174)^2 R$ (1)</p> <p>$R = 1322.5 \Omega$ (1) (1)</p>	2
<p>(c) Position 1 (1)</p> <p>Maximum voltage (across motor) (1)</p> <p>OR maximum current (in motor)</p> <p>OR 230 V across motor</p> <p>OR no extra resistance to decrease current</p>		2
<p>(d) Voltage across $R_x = 230 - 180 = 50 \text{ V}$ (1)</p> <p>$V = IR$ (1)</p> <p>$50 = 0.25 \times R$ (1)</p> <p>$R = 200 \Omega$ (1) (1)</p>		3
<p>NOTES:</p> <p>(c) Position 1 (only) = zero marks</p> <p>Position 1 followed by wrong explanation = 1 mark</p> <p>Voltage <u>through</u> motor = zero marks</p> <p>(d) Any other voltage than 50 V is wrong physics and gets $\frac{1}{2}$ formula mark only.</p>		Total 9

2002 Physics Intermediate 2

Sample Answer and Mark Allocation	Notes	Marks
<p>27. (a) movement of coil in magnetic field (1) OR movement of coil near magnet change in direction of coil \Rightarrow a.c. (1)</p>		2
<p>(b) greater number of turns in the coil (1) stronger magnetic field (1) OR stronger magnet OR more powerful magnet Do not accept bigger magnet louder sound bigger diaphragm Accept coils for turns</p>		2
<p>(c) voltage gain = $\frac{\text{output(voltage)}}{\text{input (voltage)}}$ (1) $\text{gain} = \frac{0.5}{0.002}$ (1) gain = 250 (1)</p>	deduct $\frac{1}{2}$ mark if unit given	2
		Total 6

2002 Physics Intermediate 2

Sample Answer and Mark Allocation	Notes	Marks
<p>28. (a) energy lost (on reflection) (1) OR sound absorbed by air/tube/end</p>		1
<p>(b) 6 ms OR 0.006 s (½) (½)</p>		1
<p>(c) $d = vt$ (½) $d = 340 \times 0.006$ (½) $d = 2.04 \text{ m}$ (1)</p>		
<p>length of the tube = $\frac{d}{2} = 1.02 \text{ m}$ (½) (½)</p>		3
<p>(d) $v = f\lambda$ (½) $340 = 1250 \times \lambda$ (½) $\lambda = 0.272 \text{ m}$ (½) (½)</p>		2
		Total 7


2002 Physics Intermediate 2

Sample Answer and Mark Allocation

Notes

Marks


29. (a)



Ray must cross normal.

2

(b)



Ray must cross normal.

2

NOTE:

(b) Accept partial internal reflection if refraction also shown.

Total 4

