













What is self-harm?

Self-harm is where someone does something to deliberately hurt themselves. This may include cutting parts of the body, burning, hitting or taking an overdose.

How many young people self-harm?

A study in Scotland, published in 2008, found that about 10 per cent of 15-16 year olds had self-harmed in the previous 12 months.

Why do young people self-harm?

Self-harm is often a way of trying to cope with painful and confusing feelings. Difficult things that people who self harm talk about include:

- Feeling sad or feeling worried.
- Not feeling very good or confident about themselves.
- Being hurt by others: physically, sexually or emotionally.
- Feeling under a lot of pressure at school or at home.
- Losing someone close, such as someone dying or leaving.

When difficult or stressful things happen in a person's life, it can trigger self-harm. Upsetting events that might lead to self-harm include:

- Arguments with family or friends.
- Break-up of a relationship.
- Failing, or thinking you are going to fail.
- · Being bullied.

Often, these things build up until the young person feels they cannot cope anymore.

Self-harm can be a way of trying to deal with, or escaping from these difficult feelings. It can also be a way of the person showing other people that something is wrong in their life.

How can you cope with self-harm?

Replacing the self-harm with other, safer, coping strategies can be a positive and more helpful way of dealing with difficult things in your life. Helpful strategies can include:

- Finding someone to talk to about your feelings, such as a friend or family member.
- Talking to someone on the phone for example, you might want to call a helpline.
- Writing and drawing about your feelings, because sometimes it can be hard to talk about feelings.
- Scribbling on and/or ripping up paper.
- Listening to music.
- Going for a walk, run or other kind of exercise.

- Getting out of the house and going somewhere where there are other people.
- · Keeping a diary.
- Having a bath and/or using relaxing oils for example, lavender.
- Hitting a pillow or other soft object.
- Watching a favourite film.

Children and young people involved in self-harm and suicide

Getting help

In the longer term, it is important that you learn to understand and deal with the causes of stress that you feel. The support of someone who understands and will listen to you can be very helpful in facing difficult feelings:

- At home: parents, brother/sister or another family member you trust.
- In school: pastoral care teacher, subject teacher, learning assistant, pupil and family support worker, other member of staff.
- GP: you can talk to your family doctor (GP) about your difficulties and they can make a referral for further help.

Helplines:

• Samaritans: 208457 90 90 90

• Childline Scotland: 2 0800 1111

• NSPCC: ☎ 0808 800 5000

Breathing Space: 2 0800 838 587

Useful websites:

aboutmentalhealthproblemsandstigma/

selfharm

harm-getting-help

self-harm

The site.org www.thesite.org/healthandwellbeing/

mentalhealth/selfharm

My friend has a problem: how can I help?

- You can really help by just being there, listening and giving support.
- Be open and honest. If you are worried about your friend's safety, tell an adult. Let your friend know you are going to do this and you are doing it because you care about them.
- Encourage your friend to get help. You can go with your friend or tell someone your friend won't mind knowing about it.

- Get information from telephone helplines, websites or the library. This can help you understand what your friend is experiencing.
- Your friendship may be changed by the problem.
 You may feel bad that you can't help your friend enough or guilty if you have had to tell other people. These feelings are common and don't mean that you have done something wrong or not done enough.
- Your friend may get angry with you or tell you that you don't understand. It is important to try not to take this personally. Often, when people are feeling bad themselves, they get angry with the people they are closest to.
- It can be difficult to look after someone who is having difficulties. It is important for you to talk to an adult who can support you. You may not always be able to be there for your friend, and that's okay.

Adapted with permission from Oxfordshire Adolescent Self-Harm Forum 2002

- 闰 Follow us on Twitter @NHSaaa
- 🌃 Find us on Facebook at www.facebook.com/nhsaaa
- Visit our website: www.nhsaaa.net
- All our publications are available in other formats



	1	1	0	ι	II	r	r	1	0	t	E	3	5																																							
	•	•	•	•			•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•		•	•	•		•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	• •	•	•
	•	•	•	•	•	•			•	•		•	•			•	•	•	•	•		•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	• •	•	
	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	• •	•	•
	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	• •	•	•
	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	• •	•	•
	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	• •	•	•
	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	• •	•	•
	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	. •		•	•
	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	• •	•	•
	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	• •	•	•
	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	• •	•	•
	•	•	•	•	•	•	•		•	•	•	•	•	•	•	•	•	•	•		•	•	•	•	•	•	•		•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•			
(,	-	-	_	-	,	,	,	-	,	,	_	,	,	,	-	,	_	-	,	,	•	•		-		•	•	•	,	-	_	-	-	-	-	-		-				-							. •		

All of our publications are available in different languages, larger print, braille (English only), audio tape or another format of your choice.

Wszystkie nasze publikacje są dostępne w różnych językach, dużym drukiem, brajlem (tylko w wersji angielskiej), na taśmie dźwiękowej lub w innym formacie Twojego wyboru.

我們所有的印刷品均有不同語言版本、大字體版本、盲文(僅有英文)、錄音 帶版本或你想要的另外形式供選擇。

كافة مطبو عاتنا متاحة بلغات مختلفة و بالأحرف الطباعية الكبيرة و بطريقة بريل الخاصة بالمكفوفين (باللغة الإنكليزية فقط) و على شريط كاسيت سمعى أو بصيغة بديلة حسب خيارك.

Tha gach sgrìobhainn againn rim faotainn ann an diofar chànanan, clò nas motha, Braille (Beurla a-mhàin), teip claistinn no riochd eile a tha sibh airson a thaghadh.

हमारे सब प्रकाशन अनेक भाषाओं, बड़े अक्षरों की छपाई, ब्रेल (केवल अंग्रेज़ी), सुनने वाली कसेट या आपकी पसंदनुसार किसी अन्य फ़ॉरमेट (आस्प) में भी उपलब्ध हैं। 我们所有的印刷品均有不同语言版本、大字体版本、盲文(仅有英文)、录音带版本或你想要的另外形式供选择。

ہماری تمام مطبوعات مختلف زبانوں، بڑے حروف کی چھپائی، بریل (صرف انگریزی)، سنے والی کسٹ یا آپ کی پیند کے مطابق کسی دیگر صورت (فارمیٹ) میں بھی دستیاب ہیں۔

ਸਾਡੇ ਸਾਰੇ ਪਰਚੇ ਅਤੇ ਕਿਤਾਬਚੇ ਵਗ਼ੈਰਾ ਵੱਖ ਵੱਖ ਭਾਸ਼ਾਵਾਂ ਵਿਚ, ਵੱਡੇ ਅੱਖਰਾਂ ਅਤੇ ਬ੍ਰੇਲ (ਸਿਰਫ਼ ਅੰਗਰੇਜ਼ੀ) ਵਿਚ, ਆੱਡੀਓ ਟੇਪ 'ਤੇ ਜਾਂ ਤੁਹਾਡੀ ਮਰਜ਼ੀ ਅਨੁਸਾਰ ਕਿਸੇ ਹੋਰ ਰੂਪ ਵਿਚ ਵੀ ਮਿਲ ਸਕਦੇ ਹਨ।



0800 169 1441

\angle		
revie plair	ewed for English	

i cii as milat you tillilli	1	Γell	us	what	you	thin	k
-----------------------------	---	------	----	------	-----	------	---

If you would like to comment on any issues raised by this document, please complete this form and return it to: Communications Department, 28 Lister Street, University Hospital Crosshouse, Crosshouse KA2 0BB. You can also email us at: comms@aaaht. scot.nhs.uk or comms@aapct.scot.nhs.uk. If you provide your contact details, we will acknowledge your comments and pass them to the appropriate departments for a response.

response.	,
Name	
Address	
Comment	

Last reviewed: October 2013 Leaflet reference: MIS13-165-CC Visit our website: www.nhsaaa.net

All our publications are available in other formats